

THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 131 (2019)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2019 is £30.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: cpauk1@ntlworld.com

Webmaster: Rob Edmunds B.Sc., M.A., F.R.E.S.

Proof Reader: Graham Wenman

Special Index: Catherine Wellings and Graham Wenman

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue Pdf files in place of paper reprints. These are sent automatically to the first named author of Papers. Authors of Notes may request a Pdf of their contribution. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

The General Data Protection Regulation (GDPR)

It is the policy of this journal to include the name(s) and contact details of authors, as supplied to the Editor, as a part of their published contributions. To comply with the new regulation authors will in future be asked to confirm that they are happy with this arrangement. The Editor will maintain a list of persons who have given such consent. Where the publication of an address is considered unacceptable, a "care of" address may be substituted by the author(s). Advertisements and other non scientific material submitted for publications are also subject to the GDPR and must adhere to the published AES policy.

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

B

(The) Box-tree moth *Cydalima perspectalis* (Walker, 1859) in Britain: an overview of its spread and current status. *Colin W. Plant, Chris Poole, Andrew Salisbury, Stephanie Bird*, 122-147

C

(The) Caddisfly *Hydropsyche fulvipes* (Curtis, 1834) (Trichoptera: Hydropsychidae): finally confirmed as an Irish species. *James P. O'Connor, Mary A. O'Connor and Martin P. Gammell*, 26-31

Cnephidia fuscorubra Riel, 1928, described from France: a new synonym of *Alophia combustella* (Herrich-Schäffer, 1855) (Lep.: Pyralidae, Phycitinae). *František Slamka*, 148-149

(A) contribution to knowledge of Balkan Lepidoptera: some new and rare species for Albania and North Macedonia (Lepidoptera). *Stoyan Beshkov & Ana Nahirnić*, 242-260

(A) contribution to knowledge of the Balkan Lepidoptera: species collected in the autumn of 2018 in Albania (Macrolepidoptera with some Crambidae). *Stoyan Beshkov & Ana Nahirnić*, 66-102

E

Epermenia insecurella (Stainton, 1849) (Lep.: Epermeniidae) rediscovered in the Isle of Wight after 92 years and consideration of the type locality. *R. J. Heckford & S. D. Beavan*, 217-226

F

(The) first British records of *Horisme radicaria* (La Harpe, 1855) (Lep.: Geometridae): an overlooked or new British species? *Graeme J. Smith and Sean P. Clancy*, 261-268

I

(The) immigration of Lepidoptera to the British Isles in 2015. *Sean P. Clancy*, 157-208

M

Mahogany Shoot Borer *Hypsipyla grandella* Zeller, 1848 (Lep.: Pyralidae) a new adventive species for Britain. *Roy Leverton*, 269-270

Microlepidoptera Review of 2018. *A. M. Davis and G. M. Tordoff*, 283-309

N

(A) new Irish locality for the rare Caddisfly *Limnephilus pati* O'Connor (Trichoptera: Limnephilidae). *James P. O'Connor, Jervis A. Good & Ian D. Wallace*, 209-215

O

Observations of overwintering Tissues *Triphosa dubitata* L. (Lep. Geometridae) in south-east Scotland. *Katty Baird & Mark Cubitt*, 13-19

Observations on the larva and foodplants of *Lobesia reliquana* (Hübner, [1825]) (Lep.: Tortricidae, Olethreutinae). *S. D. Beavan & R. J. Heckford*, 105-121

P

Pleuopruca insulsaria (Guenée, 1858) (Lep: Geometridae, Sterrhinae) the Common Tan Wave: a first UK record of this North American species. *Mike Halsey and Axel Hausmann*, 271-274

(A) possible Leaf Blotch Minor moth (Lepidoptera: Gracillariites) from mid-Eocene Baltic amber. *Martin J. F. Fowler*, 40-46

Quantitative comparison of catches made by two bulbs fitted to Robinson moth-traps. *Clive Craik & Andy McLeod*, 228-235

Q

Quantitative comparison of catches made by two bulbs fitted to Robinson moth-traps. *Clive Craik & Andy McLeod*, 228-235

S

Second update to the *Checklist of the Lepidoptera of the British Isles*, 2013. *David J. L. Agassiz, S. D. Beavan & R. J. Heckford*, 1-7

T

Trachypepla contritella (Walker, 1864) (Lep.: Oecophoridae) new to Britain. *Andy Banthorpe*, 9-12

2: NOTES

A

Agriphila geniculea (Haworth, 1811) (Lep.: Crambidae), an unusual aberration. *R. J. Heckford*, 61-63

Anal protrusion in a Lepidoptera larva – a possible explanation? *Andrew Wood*, 216

B

Bohemannia auriciliella (Joannis) (Lep.: Nepticulidae) new for Gloucestershire. *Guy H. J. Meredith*, 21

C

Canary-shouldered Thorn *Ennomos alniaria* (L., 1758) (Lep.: Geometridae). *Tom Tams*, 281-282
Clifden nonpareil *Catocala fraxini* (L.) (Lep.: Erebidae): The first record for Huntingdonshire (VC31). *Kevin Royles*, 20

Conistra rubiginosa (Scopoli 1763) Black-spotted Chestnut. A brief summary of recent records in England. *Robin Knill-Jones*, 103-104

D

Dotted Fan-foot *Macrochilo cribrumalis* (Hb.) (Lep.: Erebidae) population discovered in Northamptonshire. *Paul Waring & Dee Shore*, 23-24

E

Every cloud has a purple lining. *Graham Wenman*, 24-25

(An) extra year spent as pupae by Puss Moths *Cerura vinula*. *Clive Craik*, 63

F

First report on the butterfly fauna of Kučaj Mt. (Serbia) (Lep.: Hesperioidea and Papilionoidea). *Boban Stanković*, 34-37

(The) Four-spotted Moth *Tyta luctuosa* (D. & S.), the Grizzled Skipper butterfly *Pyrgus malvae* (L.) and the Emperor Moth *Saturnia pavonia* (L.) at Werrington Brook Drain, Peterborough, in 2018. *Paul Waring*, 153-156

Further observations of Lepidoptera unexpectedly attracted to VES synthetic pheromone lure. *Mark Hammond*, 237-238

L

(A) larva of Plain Pug *Eupithecia simpliciat*a (Haworth, 1809) (Lep.: Geometridae) feeding on Glasswort *Salicornia* species. *S. D. Beavan & R. J. Heckford*, 47-48

(A) Light Knot Grass *Acrionicta menyanthidis* in Buckinghamshire (VC24) and some other recent records in interest. *Richard Ellis*, 239-241

M

Macro moth status changes for East Lothian since 2000. *Mark Cubbitt & Katty Baird*, 53-59

Marbled Clover *Heliothis virescens* (Hufn.) (Noctuidae) at West Walton, near Wisbech, Norfolk. *Paul Waring & Dee Shore*, 33-34

Marigold Shark *Cucullia calendulae* Treitschke, 1835 (Lep.: Noctuidae), a migrant new to Ireland. *Tony Bryant and K. G. M. Bond*, 64-65

Millière 's Emerald *Phaioграмма faustinata* (Millière, 1868) (Lep.: Geometridae) bred from larva on imported Raspberry *Rubus idaeus*. *L. K. Evans*, 37-39

N

Nematopogon magna (Zeller, 1878) (Lep.: Adelidae). Rediscovery in Yorkshire after more than one hundred years. *Harry E. Beaumont*, 150-151
New to Scotland – Twin-spotted Wainscot *Lenisa geminipuncta* (Haworth, 1809) (Lep.: Noctuidae). *Mark Cubbitt*, 59-61

O

Observations of the behaviour of Large White *Pieris brassicae* (L.) and Small White *P. rapae* (L.) (Lep.: Pieridae) on migration in Shropshire in 2018. *A. G. Blunt*, 31-33

P

Preliminary data confirms the presence of *Gymnancyla hornigii* (Lederer, 1852) (Lepidoptera: Pyralidae) in Spain. *Girdley, J., Garre, M., Guerrero, J. J., Rubio R. M. & Ortiz, A. S.*, 152-153

R

(The) rediscovery of the Brown Lacewing *Drepanepteryx phalaenoides* (Linnaeus 1758) in Monks Wood, Huntingdonshire, vice-county 31. *Barry Dickerson*, 279-280

S

(A) satisfying bit of detective work. *Roy Leverton*, 22-23

T

Taking the pea. *Graham Wenman*, 227
(A) third British record of *Hypena lividalis* (Hb.) (Lep.: Erebidae) and other migrant Lepidoptera in north Kent, July to September 2019. *P. J. Jewess*, 275-276
Trachypepla contritella (Walker, 1864) (Lep.: Oecophoridae) an update. *Barry Dickerson*, 277-279
Trifurcula headleyella (Stainton) (Lep.: Nepticulidae) new to Oxfordshire. *Guy H. J. Meredith*, 46

U

Unseasonal records of *Diaphora mendica* (Clerck, 1759) in northern Spain. *Teresa Farino*, 39
(An) unusual form of *Elachista kilmunella* Stainton, 1849 (Lep.: Elachistidae) from Caithness. *Neil Money, Mark Pewtress & Mark Young*, 8

W

Water Betony *Shargacucullia scrophulariae* (D. & S.) (Lep.: Noctuidae) new to Jersey, Channel Islands. *Roger Long*, 235-236

3: BOOK REVIEWS

Bedbug by Klaus Reinhardt, 282
Bee by Claire Preston, 282
Geometrid Moths of Europe, Volume 6 (parts 1 & 2) by Müller, Erlacher, Hausmann, Rajaei & Skou, 310
Moths of Europe. Volumes 5 & 6, Noctuids by P. Leraut, 311
Motýli a housenky st'řední Evropy V. Drobní motýli I by Laštůvka, Laštůvka, Liška & Šumpich, 52
Wasp by Richard Jones, 282

4: OBITUARIES

Michael Withington **Harper**, 49-51

5: ADDENDA & CORRIGENDA

Corrigenda, 312

6: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Agassiz, D. J. L.	1-7		
Baird, K.	53-59		
Baird, Katty,	13-19		
Banthorpe, A.,	9-12		
Beaumont, H. E.	150-151		
Beavan, S. D. <i>1-7</i> , 47-48, 105-121 , <i>217-226</i>			
Beshkov, S.	66-102 , 242-260		
Bird, S.	<i>122-147</i>		
Blunt, A. G.	31-33		
Bond, K. G. M.	64-65		
Bryant, T.	64-65		
Clancy, S. P.	157-208 , 261-268		
Craik, C.	63, 228-235		
Cubbitt, M.	<i>13-19</i> , 53-59, 59-61		
Davis, A. M.	283-309		
Dickerson, B.	277-279, 279-280		
Ellis, R.	239-241		
Evans, L. K.	37-39		
Farino, T.	39		
Fowler, M. J. F.,	40-46		
Gammell, M. P.,	26-31		
Garre, M.	152-153		
Girdley, J.	152-153		
Good, J. A.	209-215		
Guerrero, J. J.	152-153		
Halsey, M.	271-274		
Hammond, Mark.	237-238		
Hausmann, Axel.	271-274		
Heckford, R. <i>1-7</i> , 47-48, 61-63, 105-121 ,			
		217-226	
		Jewess, P. J.	275-276
		Knill-Jones, R.	103-104
		Leverton, R.	22-23, 269-270
		Long, R.	235-236
		McLeod, A.	228-235
		Meredith, G. H. J.	21, 46
		Money, N.	8
		Nahirnić, A.,	66-102 , 242-260
		O'Connor, J.P.	26-31 , 209-215
		O'Connor, M. A.	26-31
		Ortiz, A. S.	152-153
		Pewtress, M.	8
		Plant, C. W.	122-147
		Poole, C.	<i>122-147</i>
		Royles, K.	20
		Rubio, R. M.	152-153
		Salisbury, A.,	<i>122-147</i>
		Shore, D.	23-24, 33-34
		Slamka, F.	148-149
		Smith, G. J.	261-268
		Stanković, B.	34-37
		Tams, T.	281-282
		Tordoff, G. M.	283-309
		Wallace, I. D.	209-215
		Waring, P.	23-24, 33-34, 153-156
		Wenman, G. J.	24-25, 227
		Wood, A.	216
		Young, M.	8

NEW INDEXER REQUIRED

We are looking for a new person to compile the Special Index from the 2020 volume onwards. An in-depth taxonomic expertise is not necessary, as the Editor will give instructions, but you will need access to a computer and an e-mail address and be available to deliver and discuss the Index, approximately in the gap between Christmas and the New Year. The indexer's sole task is to compile the alphabetical list of species that is the "SPECIAL INDEX"; the "Contents" section, comprising the first six pages of this document, are produced by the Editor. The task is voluntary, though you do get a free subscription to the journal. Please contact the Editor direct at cpauk1@ntlworld.com, giving a telephone number for him to call you on.

SPECIAL INDEX

Compiled by Catherine Wellings & Graham Wenman

Newly described taxa are indicated in **bold type**.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are denoted by an asterisk.

LEPIDOPTERA

	Page		Page
<i>abietana</i> (Hb.), <i>Acleris</i>	300	<i>alveus</i> (Hb.), <i>Pyrgus</i>	36
<i>ablutaria</i> (Boisd.) <i>Coenoteophria</i>	76, 80	<i>amasina</i> (Draudt), <i>Nyctobrya</i>	95
<i>abscisana</i> (Doubl.), <i>Lobesia</i>	301	<i>ambigua</i> (ID. & S.), <i>Hoplodrina</i>	95
<i>absoluta</i> (Meyrick), <i>Tuta</i>	164, 204, 296	<i>ambiguella</i> (Hb.), <i>Eupoecilia</i>	165
<i>accentifera</i> (Lefebvre), <i>Ctenoplusia</i>	84, 94	<i>amethystinella</i> Ragonot, <i>Coleophora</i>	297
<i>acerifoliella</i> (Zell.), <i>Phyllonorycter</i>	291	<i>amplana</i> (Hb.), <i>Cydia</i>	165, 203, 276, 303
<i>aceris</i> (Frey), <i>Stigmella</i>	286	<i>anachoreta</i> (D. & S.), <i>Clostera</i>	177
<i>acetosellae</i> (ID. & S.), <i>Mesogona</i>	96	<i>anatolica</i> (Draudt), <i>Chersotis</i>	253, 258
<i>achatana</i> (ID. & S.), <i>Ancyli</i>	302	<i>anderreggii</i> (Boisd.), <i>Mythimna</i>	253, 258
<i>Acronicta</i> Ochseneheimer	3	<i>anella</i> (ID. & S.), <i>Lamoria</i>	283, 304
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	3, 294	<i>anglicella</i> (Staint.), <i>Parornix</i>	290
<i>acuminatus</i> (Stdgr.), <i>Dichomeris</i>	1, 294	<i>angulifasciella</i> (Staint.), <i>Ectoedemia</i>	287
<i>acuta</i> (Walk.), <i>Chrysodeixis</i>	160, 182	<i>angustella</i> (Hb.), <i>Nephoterix</i>	168, 304
<i>adelpheila</i> (F. v. R.), <i>Sciota</i>	167	<i>annadactyla</i> Sutter, <i>Stenoptilia</i>	299
<i>adippe</i> (L.), <i>Argynnis</i>	36	<i>anthyllidella</i> (Hb.), <i>Aproaerema</i>	294
<i>adpersella</i> Benander, <i>Coleophora</i>	298	<i>antiopa</i> (L.), <i>Nymphalis</i>	37, 166
<i>adulatrix</i> (Hb.), <i>Eutelia</i>	94	<i>Aphelia</i> Hübner [1825]	2
<i>advenaria</i> (Hb.), <i>Cepphis</i>	176	<i>apicipunctella</i> Stainton., <i>Elachista</i>	298
<i>aegeria</i> (L.), <i>Pararge</i>	37	<i>aprilina</i> (L.), <i>Gripesia</i>	87, 91, 97
<i>aemulana</i> (Schläger), <i>Eucosma</i>	4	<i>Aproaerema</i> Durrant, 1897	2, 4
<i>aeneana</i> (Hb.), <i>Commophila</i>	155, 156	<i>arcania</i> (L.), <i>Coenonympha</i>	37
<i>aeruginea</i> (Hb.), <i>Dichonia</i>	97	<i>arctostaphyli</i> Meder, <i>Coleophora</i>	296
<i>aerugula</i> (Hb.), <i>Nola</i>	188	<i>arcuatella</i> (H.-S.), <i>Ectoedemia</i>	287
<i>aethiops</i> (Humphreys & Westwood), <i>Xenolechia</i>	296	<i>arenacearia</i> (ID. & S.), <i>Isturgia</i>	75
<i>agricola</i> Boisd., <i>Euxoa</i>	258	<i>areola</i> (Esp.), <i>Xylocampa</i>	55
<i>Agrochola</i> Hübner, [1821]	3	<i>arethusia</i> (D. & S.), <i>Arethusana</i>	37
<i>alacella</i> (Zell.), <i>Dichomeris</i>	295	<i>argentimaculella</i> (Staint.), <i>Injurcitinea</i>	289
<i>albiceps</i> (Zell.), <i>Parachronistis</i>	296	<i>argentina</i> (Steph.), <i>Coleophora</i>	308
<i>albicillata</i> (L.), <i>Mesoleuca</i>	56	<i>argiolus</i> (L.), <i>Celastrina</i>	32, 36
<i>albicosta</i> (Haw.), <i>Coleophora</i>	297	<i>argus</i> (L.), <i>Plebejus</i>	36
<i>albidella</i> (ID. & S.), <i>Coleophora</i>	297	<i>argyrella</i> (ID. & S.), <i>Selagia</i>	2, 167
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	307	<i>argyropeza</i> (Zell.), <i>Ectoedemia</i>	287
<i>albinaculea</i> (Haw.), <i>Denisia</i>	293	<i>arion</i> (L.), <i>Phengaris</i>	36, 37
<i>albigpuncta</i> (ID. & S.), <i>Mythimna</i>	98, 186-187, 276	<i>armeniaca</i> Stdgr., <i>Praestribia</i>	94
<i>albovenosa</i> (Goeze), <i>Simyra</i>	276	<i>armigera</i> (Hb.), <i>Helicoverpa</i> ..56, 95, 198-199	
<i>albula</i> (D. & S.), <i>Meganola</i>	89, 100	<i>artemesiana</i> (Zell.), <i>Lobesia</i>	106
<i>alchimiella</i> (Scop.), <i>Caloptilia</i>	307	<i>artemisiae</i> (Hufn.), <i>Cucullia</i>	250, 254
<i>alcyonipennella</i> (Kollar), <i>Coleophora</i>	297	<i>artemisella</i> (Tr.), <i>Scrobipalpa</i>	296
<i>algae</i> (Fabr.), <i>Cryphia</i>	255, 276	<i>artesiaria</i> (ID. & S.), <i>Macaria</i>	75
<i>algira</i> (L.), <i>Dysgonia</i>	94, 181	<i>asiatica</i> (Krul.), <i>Nycteola</i>	89, 100
<i>alismana</i> (Ragonot), <i>Gynnidomorpha</i>	301	<i>asiatica</i> (O. Bang-Haas), <i>Cilix</i>	244
<i>alnetella</i> (Staint.), <i>Stigmella</i>	4	<i>asiatica</i> (Boisd.), <i>Hadena</i>	258
<i>alniaria</i> (L.), <i>Ennomos</i>	281-282	<i>asperaria</i> (Hb.), <i>Rhoptria</i>	75
<i>alnifoliae</i> Barasch, <i>Coleophora</i>	3, 308	<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	3, 292
<i>alopecuri</i> (Boisd.), <i>Mythimna</i>	253, 256, 258	<i>assimilella</i> (Tr.), <i>Agonopterix</i>	294
<i>alpella</i> (ID. & S.), <i>Ypsolopha</i>	292	<i>assimilella</i> (Zell.), <i>Stigmella</i>	286
<i>alpina canensis</i> (Millière), <i>Poecilocampa</i>	78, 82	<i>atalanta</i> (L.), <i>Vanessa</i>	37, 69, 190
<i>alpinella</i> (Hb.), <i>Platytes</i>	306	<i>athalia</i> (Rott.), <i>Melitaea</i>	37
<i>alpinella</i> Staint., <i>Elachista</i>	298	<i>atricapitella</i> (Haw.), <i>Stigmella</i>	307
		<i>atricollis</i> (Staint.), <i>Ectoedemia</i>	287
		<i>atriplis</i> (L.), <i>Trachea</i>	95, 159, 184-185
		<i>atropos</i> (L.), <i>Acherontia</i>	57, 172-173, 203
		<i>aurago</i> (ID. & S.), <i>Tiliacea</i>	85, 96

<i>auriciliella</i> (Joannis), <i>Bohemannia</i>	21
<i>aurita</i> Raz., <i>Pammene</i>	308
<i>aurorafasciana</i> (Haw.), <i>Celypha</i>	4
<i>auroguttella</i> (Steph.), <i>Euspilateryx</i>	307
<i>australis</i> (Boisd.), <i>Aporophyla</i>	98
<i>autumnaria</i> (Werneb.), <i>Ennomos</i>	176
<i>autumnitella</i> Curtis, <i>Acrolepia</i>	292
<i>badiella</i> (Hb.), <i>Depressaria</i>	294
<i>bajaria</i> [(D. & S.)], <i>Agriopis</i>	66
<i>bajularia</i> [(D. & S.)], <i>Comibaena</i>	244
<i>balsamitae</i> Boisd., <i>Cucullia</i>	90, 91, 100
<i>bankiana</i> (Fab.), <i>Deltote</i>	183
<i>basaltinella</i> (Zell.), <i>Brytrophia</i>	295, 308
<i>basigutella</i> (Hein.), <i>Stigmella</i>	287
<i>beatricella</i> (Wals.), <i>Aethes</i>	301
<i>bechsteinella</i> (Bech. & Scharf.), <i>Bucculatrix</i>	290
<i>bellargus</i> (Rott.), <i>Polyommatus</i>	36
<i>bergmanniana</i> (L.), <i>Acleris</i>	300
<i>bertulella</i> (Curtis), <i>Acrolepiopsis</i>	3
<i>betulella</i> (Hein.), <i>Coleophora</i>	297
<i>betuletana</i> (Haw.), <i>Apotomis</i>	308
<i>betulicola</i> (Staint.), <i>Stigmella</i>	286, 307
<i>bifasciana</i> (Haw.), <i>Piniphila</i>	301
<i>bifasciata</i> (L.), <i>Grammodes</i>	94
<i>bifractella</i> (Dup.), <i>Apodia</i>	3, 295
<i>bigramma</i> (Hb.), <i>Agrotis</i>	204
<i>bilineata</i> (D. & S.), <i>Camptogramma</i>	76, 156
<i>bilunana</i> (Haw.), <i>Epinotia</i>	302
<i>bimaculosa</i> (L.), <i>Meganephria</i>	94
<i>binaria</i> (Hufn.), <i>Watsonalla</i>	75
<i>binderella</i> (Koll.), <i>Coleophora</i>	297
<i>biriviata</i> (Bork.), <i>Xanthorhoe</i>	176
<i>Bisigna</i> Toll, 1956	2
<i>bisselliella</i> (Hum.), <i>Tineola</i>	289, 308
<i>bistriatella</i> (Hulst), <i>Apomyeloides</i>	4
<i>bistriga</i> (Haw.), <i>Cryptoblabes</i>	304
<i>bistrigella</i> (Haw.), <i>Phylloporia</i>	288
<i>biviella</i> (Zell.), <i>Vitula</i>	305
<i>blandella</i> (Dougl.), <i>Caryocolum</i>	296
<i>boeticus</i> (L.), <i>Lampides</i>	167, 202
<i>boreella</i> (Dougl.), <i>Brytrophia</i>	295
<i>bractea</i> (D. & S.), <i>Autographa</i>	183
<i>bradleyi</i> (Riedl), <i>Mompha</i>	298
<i>brassicae</i> (L.), <i>Pieris</i>	31-33, 166
<i>britannica</i> (Turner), <i>Thera</i>	77, 81
<i>britanniodactylus</i> (Gregson), <i>Caperria</i>	299
<i>brongiardiella</i> (Fabr.), <i>Acrocercops</i>	290
<i>buoliana</i> [(D. & S.)], <i>Rhyacionia</i>	303
<i>bureschi</i> Tuleschkow, <i>Standfussiana</i>	258
<i>caecana</i> (Schläger), <i>Grapholita</i>	303
<i>caecigena</i> (Kupido), <i>Perisomena</i>	83, 92
<i>caecimacula</i> [(D. & S.)], <i>Ammoconia</i>	98
<i>caeruleocephala</i> (L.), <i>Diloba</i>	94
<i>caespitiella</i> Zell., <i>Coleophora</i>	297
<i>c-album</i> (L.), <i>Polygonia</i>	37
<i>calendulae</i> Tr., <i>Cucullia</i>	1, 64-65
<i>calthella</i> (Linn.), <i>Micropterix</i>	285
<i>calvaria</i> [(D. & S.)], <i>Idia</i>	93
<i>camilla</i> (L.), <i>Limnitis</i>	37
<i>campania</i> (H.-S.), <i>Idaea</i>	78
<i>candelisequa</i> [(D. & S.)], <i>Dichagyris</i>	253, 258
<i>candidula</i> (D. & S.), <i>Pseudeustrotia</i>	158, 184

<i>canensis</i> (Millière), <i>Poecilocampa</i>	78, 82
<i>canescens</i> (Dup.), <i>Aporophyla</i>	98
<i>caniola</i> (Hb.), <i>Eilema</i>	93, 178
<i>capreana</i> (Hb.), <i>Apotomis</i>	301
<i>capreolaria</i> (D. & S.), <i>Pungeleria</i>	176
<i>cararia</i> (Hb.), <i>Stegania</i>	159, 176
<i>carbonis</i> (Wagner), <i>Dryobotodes</i>	97
<i>cardui</i> (L.), <i>Vanessa</i>	37, 158, 190-191
<i>carmelita</i> (Esp.), <i>Odontostia</i>	57
<i>carphodactyla</i> (Hb.), <i>Hellinsia</i>	299
<i>carphophagata</i> Stdgr., <i>Eupithecia</i>	249, 250
<i>casta</i> (Pallas), <i>Psyche</i>	289
<i>castanea</i> (Esper), <i>Xestia</i>	89, 100
<i>catalaunalis</i> (Dup.), <i>Antigastrea</i>	170, 306
<i>celerio</i> (L.), <i>Hippotion</i>	174
<i>centaureata</i> [(D. & S.)], <i>Eupithecia</i>	77
<i>cerasicolella</i> (H.-S.), <i>Phyllonorycter</i>	290
<i>cervinalis</i> (Scop.), <i>Hydria</i>	54
<i>chaerophyllellus</i> (Goeze), <i>Chauliodus</i>	219
<i>chalcites</i> (Esp.), <i>Chrysodeixis</i>	94, 182
<i>chamomillae</i> (D. & S.), <i>Cucullia</i>	64
<i>chenopodiata</i> (L.), <i>Scotopteryx</i>	156
<i>chi</i> (L.), <i>Antitype</i>	87, 98
<i>chlamyptulalis</i> (Hb.), <i>Nola</i>	257, 259
<i>choragella</i> [(D. & S.)], <i>Morophaga</i>	289
<i>chrysippus</i> (L.), <i>Danaus</i>	69
<i>chrysolepidella</i> (Zell.), <i>Paracrania</i>	285
<i>cicatricella</i> (Hb.), <i>Friedlanderia</i>	275
<i>cidarella</i> Zell., <i>Bucculatrix</i>	289
<i>ciliella</i> (Staint.), <i>Agonopterix</i>	294
<i>cilium</i> (Guen.), <i>Spodoptera</i>	95, 160, 184
<i>cinctella</i> (Clerck), <i>Aproaerema</i>	307
<i>cinereana</i> (Haw.), <i>Epinotia</i>	302
<i>cingulata</i> (L.), <i>Pyrausta</i>	305
<i>cinnamomeana</i> (Tr.), <i>Pandemis</i>	300
<i>circe</i> (Fabr.), <i>Brintesia</i>	37
<i>circellaris</i> (Hufn.), <i>Sunira</i>	96
<i>citrago</i> (L.) <i>Tiliacea</i>	85, 96
<i>citrana</i> (Hb.), <i>Thiodia</i>	302
<i>citrella</i> Staint., <i>Phyllocnistis</i>	291
<i>clavaria</i> (Haw.), <i>Larentia</i>	58, 76, 80
<i>clavipalpis</i> (Scop.), <i>Caradrina</i>	95
<i>clematella</i> (Fabr.), <i>Nemopogon</i>	289
<i>clerkella</i> (L.), <i>Lyonetia</i>	293
<i>clorana</i> (L.), <i>Earias</i>	100
<i>c-nigrum</i> (L.), <i>Xestia</i>	100, 228
<i>cohaesa</i> (H.-S.), <i>Xestia</i>	89, 100
<i>Colobochyla</i> Hübner [18925]	3
<i>columbariella</i> Wocke, <i>Tinea</i>	289
<i>combinella</i> (Hb.), <i>Pseudoswammerdamia</i>	292
<i>combustella</i> (H. -S.), <i>Alophia</i>	148-149
<i>comes</i> (Hb.), <i>Noctua</i>	100
<i>comitata</i> (L.), <i>Pelurga</i>	56
<i>compunctella</i> H.-S., <i>Swammerdamia</i>	292
<i>confusa</i> (Steph.), <i>Macdunnoughia</i>	94, 183, 280
<i>conspicua</i> (Hb.), <i>Euxoa</i>	258
<i>conspicuellla</i> Zell., <i>Coleophora</i>	297
<i>conspurcatella</i> (Zell.), <i>Bankesia</i>	3, 288
<i>contaminella</i> (Hb.), <i>Pediasia</i>	306
<i>contaminana</i> (Guen.), <i>Eucosma</i>	4
<i>continella</i> (Staint.), <i>Stigmella</i>	286
<i>contritiella</i> (Walker), <i>Trachyeplea</i> *	9 -12, 277-279, 283, 294

<i>contritella</i> Walker, <i>Gelechia</i> (= <i>Trachypepla</i>)	9-12
<i>conturbatella</i> (Hb.), <i>Mompha</i>	298
<i>convergens</i> (D. & S.), <i>Dichonia</i>	66, 87, 97
<i>convolvuli</i> (L.), <i>Agrius</i> ..57, 158, 192-193, 203	
<i>coridon</i> (Poda), <i>Polyommatus</i>	36
<i>Cornifrons</i> Lederer, 1858	1
<i>corollaria</i> (H.-S.), <i>Protorhoe</i>	249, 250, 254
<i>correptaria</i> (Zell.), <i>Peribatodes</i>	76
<i>coryli</i> (Fabr.), <i>Pandemis</i>	300
<i>coryli</i> (Nic.), <i>Phyllonorycter</i>	290
<i>cos</i> (Hb.), <i>Euxoa</i>	88, 91, 99
<i>cosmophorana</i> (Tr.), <i>Cydia</i>	303
<i>costaestrigalis</i> (Stephens), <i>Schrankia</i>	55, 93
<i>costalis</i> (Zell.), <i>Eilema</i>	252
<i>costella</i> (H. & W.), <i>Scrobipalpa</i>	296
<i>costivittella</i> Ragonot, <i>Eucophora</i>	1
<i>craccae</i> (D. & S.), <i>Lygephila</i>	93
<i>crassalis</i> (Fab.), <i>Hypera</i>	177
<i>crassiuscula</i> (H.-S.), <i>Scythris</i>	2, 5
<i>crataegella</i> (Klim), <i>Stigmella</i>	307
<i>crataegi</i> (L.), <i>Aporia</i>	36
<i>crataegi</i> (L.), <i>Trichiura</i>	78
<i>crenana</i> (Hb.), <i>Epinotia</i>	302
<i>crenata</i> (Esp.), <i>Gluphisia</i>	177
<i>cretica</i> Lederer, <i>Sesamia</i>	95
<i>cribraria</i> (L.), <i>Coscinia</i>	177
<i>cribrumalis</i> (Hb.), <i>Macrochilo</i>	23-24
<i>crinaneensis</i> (Burrows), <i>Amphipoea</i>	57
<i>crocealis</i> (Hb.), <i>Anania</i>	305
<i>croceus</i> (Geoff.), <i>Colias</i>	36, 190
<i>crocicapitella</i> (Clemens), <i>Monopis</i>	289
<i>croesella</i> (Scop.), <i>Adela</i>	288, 307
<i>Crombrugghia</i> Tutt, 1907	2, 5
<i>cryptella</i> (Staint.), <i>Trifurcula</i>	287
<i>culculla</i> (Hufn.), <i>Catarhoe</i>	176
<i>cuprella</i> (D. & S.), <i>Adela</i>	288
<i>cupressata</i> (Geyer), <i>Thera</i>	77, 81
<i>cupressella</i> Walsingham, <i>Argyresthia</i>	293
<i>currucipennella</i> Zell, <i>Coleophora</i>	297
<i>cursoria</i> (Hufn.), <i>Euxoa</i>	58
<i>curvatula</i> (Borkh.), <i>Drepana</i>	172
<i>curvistrigana</i> Staint., <i>Phalonidia</i>	4
<i>cypreago christiani</i> (Fibiger) <i>Tiliacea</i>	85, 96
<i>cytisella</i> (Curt.), <i>Monochroa</i>	295
<i>daphne</i> (D. & S.), <i>Brenthis</i>	36
<i>daphnis</i> (D. & S.), <i>Polyommatus</i>	36
<i>daubei</i> (Boisd.), <i>Thysanoplusia</i>	84, 94
<i>dealbana</i> (Fröl.), <i>Gypsonoma</i>	302
<i>deaurana</i> (Peyerimhoff), <i>Aethes</i>	1
<i>decimalis</i> (Poda) <i>Tholera</i>	88, 98
<i>decrepitalis</i> (H.-S.), <i>Udea</i>	305
<i>defoliaria</i> (Cl.), <i>Erannis</i>	66
<i>degeneraria</i> (Hb.), <i>Idaea</i>	78, 175
<i>delunella</i> (Staint.), <i>Eudonia</i>	306
<i>denticulata</i> (Tr.), <i>Eupithecia</i>	312
<i>depressa</i> (Esp.), <i>Eilema</i>	55, 93
<i>desertella</i> (Dougl.), <i>Bryotropha</i>	295
<i>dehaisianana</i> (Lucas), <i>Cydia</i>	303
<i>devoniella</i> (Staint.), <i>Parornix</i>	290
<i>dia</i> (L.), <i>Boloria</i>	37
<i>diluta</i> (D. & S.), <i>Cymatophorima</i>	75
<i>dilutata</i> (D. & S.), <i>Epirrita</i>	77, 81, 90

<i>dilutella</i> (D. & S.), <i>Deplanqueia</i>	304
<i>dimidiata</i> (Hufn.), <i>Idaea</i>	78
<i>diminutana</i> (Haw.), <i>Ancyctis</i>	301
<i>dispar</i> (L.), <i>Lycæna</i>	36, 37, 177, 276
<i>dissoluta</i> (Tr.), <i>Archana</i>	251, 257
<i>distinguenda distincta</i> (Stdgr.), <i>Euxoa</i>	88, 99
<i>divisella</i> H.-S., <i>Mompha</i>	298
<i>dodeceæ</i> (Haw.), <i>Ethmia</i>	294
<i>dodonæa</i> Staint., <i>Tischeria</i>	288
<i>dolabraria</i> (L.), <i>Plagodis</i>	55
<i>domestica</i> (Haw.), <i>Bryotropha</i>	295
<i>dracunculi</i> (Hb.), <i>Cucullia</i>	66, 90, 92, 100, 251, 254
<i>drenowskii drenowskii</i> (Rebel), <i>Hadena</i>	252, 258
<i>drurella</i> (Fabr.), <i>Chrysoesthia</i>	295
<i>dryas</i> (Scop.), <i>Minois</i>	37
<i>dubitata</i> (L.), <i>Triphosa</i>	13-19, 58, 176
<i>dubitella</i> (H.-S.), <i>Phyllonorycter</i>	308
<i>efformida</i> (Guen.), <i>Aplocera</i>	54, 78, 82
<i>effractella</i> Zell., <i>Eccopisa</i>	159, 168
<i>effusa effusa</i> Boisd., <i>Amphipyra</i>	2, 94
<i>ekebladella</i> (Bjerk.), <i>Tischeria</i>	288, 307
<i>electa</i> (Vew.), <i>Catocala</i>	180, 203
<i>elinguaria</i> (L.), <i>Crocallis</i>	75
<i>elocata</i> (Esper), <i>Catocala</i>	93, 157, 180
<i>elongaria</i> (Rambur), <i>Idaea</i>	78
<i>emortualis</i> (D. & S.), <i>Trisateles</i>	179
<i>ephemerella</i> (D. & S.), <i>Acentria</i>	306
<i>epomidion</i> (Haw.), <i>Apamea</i>	57
<i>eremita</i> (Fabr.), <i>Dryobotodes</i>	97
<i>ericeata</i> (Rambur), <i>Eupithecia</i>	77, 91
<i>ericinella</i> (Zell.), <i>Aristotelia</i>	295
<i>erosaria</i> (D. & S.), <i>Ennomos</i>	55, 75
<i>erxlebella</i> (Fabr.), <i>Roeslerstammia</i>	289
<i>erythrocephala</i> (D. & S.), <i>Conistra</i>	97, 185
<i>esperella</i> (Goeze), <i>Phyllonorycter</i>	291
<i>euphorbiae</i> (L.), <i>Hyles</i>	173
<i>eurema</i> (Tutt), <i>Trifurcula</i>	287
<i>evonymella</i> (L.), <i>Yponomeuta</i>	291
<i>exclamationis</i> (L.), <i>Agrotis</i>	228
<i>exigua</i> (Hb.), <i>Spodoptera</i>	64, 95, 157, 158, 159, 199-200, 276
<i>exsiccata</i> (Led.), <i>Tathorhynchus</i> ..	93, 161, 178
<i>exoleta</i> (L.), <i>Xylota</i>	58
<i>extimalis</i> (Scop.), <i>Evergestis</i>	170
<i>extrema</i> (Hb.), <i>Photedes</i>	185
<i>exulis</i> (Lefebvre), <i>Apamea</i>	57
<i>fagata</i> (Scharf.), <i>Operophtera</i>	66, 77, 81
<i>fagivora</i> (Frey.), <i>Parornix</i>	290
<i>falciformis</i> (Haw.), <i>Epermenia</i>	224, 300
<i>fascelinella</i> (Hb.), <i>Pediasia</i>	172
<i>fasciana</i> (L.), <i>Pammene</i>	304
<i>fasciaria</i> (L.), <i>Hylaea</i>	76
<i>faustinata</i> (Millière), <i>Phaioграмма</i> * ..	37-39
<i>ferchaultella</i> (Stephens), <i>Luffia</i>	2, 4
<i>ferrugalis</i> (Hb.), <i>Udea</i> ..69, 188, 191, 203, 276	
<i>ferrugata</i> (Cl.), <i>Xanthorhoe</i>	58
<i>festaliella</i> (Hb.), <i>Schreckensteinia</i>	300
<i>figulilella</i> (Gregs.), <i>Cadra</i>	305
<i>filicivora</i> (Meyr.), <i>Psychoides</i>	289
<i>filipendulae</i> (Wocke), <i>Stigmella</i>	287
<i>fimbriata</i> (Schreber), <i>Noctua</i>	99

<i>firmata</i> (Hb.), <i>Pennithera</i>	77, 80
<i>fitzi</i> (Schawerda), <i>Colostygia</i>	77, 81, 90
<i>flammea</i> (Esp.), <i>Trigonophora</i>	88, 98, 186
<i>flammealis</i> (ID. & S.), <i>Endotricha</i>	305
<i>flammeolaria</i> (Hufn.), <i>Hydrelia</i>	54
<i>flavalis</i> (ID. & S.), <i>Mecyna</i>	205
<i>flaviceps</i> (Butler), <i>Plesiomorphia</i>	1
<i>flavidorsana</i> Knaggs, <i>Dichrorampha</i>	303
<i>flavipennella</i> (Dup.), <i>Coleophora</i>	296
<i>flavirena</i> Guenée, <i>Caradrina</i>	95
<i>fletcherella</i> Meyrick	2
<i>flexula</i> (ID. & S.), <i>Laspeyria</i>	93
<i>floridensis</i> (Guen.), <i>Callopietria</i>	2
<i>fluctuata</i> (L.), <i>Xanthorhoe</i>	76
<i>foenella</i> (L.), <i>Epiblema</i>	302
<i>forficella</i> (Thunb.), <i>Donacaula</i>	24, 307
<i>formosa</i> Rogenhofer, <i>Cucullia</i>	250, 254
<i>formosana</i> (Fröhl.), <i>Lozotaeniodes</i>	3
<i>formosana</i> (Scop.), <i>Enarmonia</i>	301
<i>forsskaeana</i> (L.), <i>Acleris</i>	300
<i>forsterella</i> (Fabr.), <i>Glyphipterix</i>	292
<i>fovea</i> (Tr.), <i>Rileyana</i>	87, 97
<i>fovealis</i> (Zell.), <i>Duponchelia</i>	169
<i>fragillana</i> (Fabr.), <i>Aethes</i>	301
<i>fraternella</i> (Dougl.), <i>Caryocolum</i>	296
<i>fraxinella</i> (Bjerkander), <i>Prays</i>	293, 307
<i>fraxini</i> (L.), <i>Catocala</i>	20, 83, 93, 180
<i>frischella</i> (L.), <i>Coleophora</i>	297
<i>froelichiella</i> (Zell.), <i>Phyllonorycter</i>	291, 308
<i>fugitivella</i> (Zell.), <i>Carpatolechta</i>	296, 308
<i>fuliginaria</i> (L.), <i>Parascotia</i>	179
<i>fuliginosa</i> (L.), <i>Phragmatobia</i>	93
<i>fulvana</i> (Stephens), <i>Eucosma</i>	302
<i>fulviguttella</i> (Zell.), <i>Phaulernis</i>	300
<i>funesta</i> (Esp.), <i>Aedia</i>	159, 183
<i>fusca</i> (Haw.), <i>Pyla</i>	304
<i>fuscalis</i> (ID. & S.), <i>Anania</i>	305
<i>fuscatella</i> (Tengst.), <i>Lampronia</i>	3
<i>fuscorubra</i> Riel, <i>Cnephtidia</i>	148-149
<i>fuscorubra</i> Riel, <i>Selagia</i>	149
<i>galathea</i> (L.), <i>Melanargia</i>	37, 155
<i>gallicias</i> (Meyrick), <i>Trachypepla</i>	9, 12
<i>gallicana</i> (Guen.), <i>Pammene</i>	304
<i>gallii</i> (Rott.), <i>Hyles</i>	56, 173, 204
<i>gamma</i> (L.), <i>Autographa</i>	94, 188, 196-197, 276
<i>geminana</i> (Don.), <i>Ancyliis</i>	301
<i>geminipuncta</i> (Haw.), <i>Lenisa</i>	4, 59-61
<i>gemma</i> (L.), <i>Stenolechia</i>	296
<i>geniculea</i> (Haw.), <i>Agriophila</i>	61-63
<i>geniculella</i> (Ragonot), <i>Phyllonorycter</i>	291
<i>genistella</i> (Dup.), <i>Pempelia</i>	304
<i>gentianaeana</i> (Hb.), <i>Endothenia</i>	308
<i>gibbosella</i> (Zell.), <i>Psoricoptera</i>	296
<i>gigantella</i> (ID. & S.), <i>Schoenobius</i>	307
<i>gilvago</i> (D. & S.), <i>Cirrhia</i>	57, 185
<i>gilvata</i> (Fab.), <i>Uresiphita</i>	160, 169
<i>glabrata</i> (Zell.), <i>Argyresthia</i>	3, 293
<i>glauca</i> (Esper), <i>Episema</i>	85, 95
<i>glutinosae</i> (Staint.), <i>Stigmella</i>	286
<i>glyphica</i> (L.), <i>Euclidia</i>	156
<i>gonodactyla</i> (ID. & S.), <i>Platyptilia</i>	299
<i>Gracilaritiis</i> Kozlov	40-46

<i>grandella</i> (Zell.), <i>Hypsipyla</i> *	269-270
<i>grandis</i> (Desvignes), <i>Schiffermuelleria</i>	293
<i>griseana</i> (Hb.), <i>Zeiraphera</i>	302
<i>grossulariata</i> (L.), <i>Abraxas</i>	57
<i>grossulariella</i> , <i>Zophodia</i>	4
<i>grottiana</i> (Fabr.), <i>Epagoge</i>	300
<i>gueneata</i> Millière, <i>Eupithecia</i>	250
<i>gularis</i> (Zell.), <i>Paralipsa</i>	167
<i>halterata</i> (Hufn.), <i>Lobophora</i>	55
<i>hammoniella</i> (Sorh.), <i>Heliozela</i>	288
<i>hannoverella</i> (Glitz), <i>Ectoedemia</i>	287
<i>hartmanniana</i> (Clerck), <i>Aethes</i>	301
<i>haworthana</i> (Steph.), <i>Glyphipterix</i>	292
<i>headleyella</i> (Staint.), <i>Trifurcula</i>	46, 287
<i>hecate</i> (D. & S.), <i>Brenthis</i>	37
<i>heegeriella</i> (Zell.), <i>Phyllonorycter</i>	307
<i>hellerella</i> (Dup.), <i>Blastodacna</i>	298
<i>helvola</i> (L.), <i>Anchoscelis</i>	96
<i>hepariella</i> Staint., <i>Zelleria</i>	292
<i>herbaria</i> (Hb.), <i>Microloxia</i>	1
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	287
<i>heringi</i> (Toll), <i>Ectoedemia</i>	287
<i>herrichiana</i> (Hein.), <i>Pammene</i>	304, 308
<i>herzogi</i> Rebel, <i>Agrotis</i>	67, 89, 99, 161, 187
<i>hexadactyla</i> L., <i>Alucita</i>	299
<i>hilarella</i> (Zett.), <i>Phyllonorycter</i>	290
<i>hillneriella</i> Gastón & Vives, <i>Gymnancyla</i>	152-153
<i>hippocastanaria</i> (Hb.), <i>Pachycnemia</i>	75
<i>hohenwartiana</i> (ID. & S.), <i>Eucosma</i>	302
<i>hornigi</i> (Stdgr.), <i>Monochroa</i>	295
<i>hornigii</i> (Lederer), <i>Gymnancyla</i>	152-153
<i>horridella</i> (Tr.), <i>Ypsolopha</i>	292
<i>hortulata</i> (L.), <i>Anania</i>	305
<i>hospes</i> (Frey.), <i>Athetis</i>	95, 184, 204, 205
<i>hostis</i> Triberti, <i>Phyllonorycter</i>	290
<i>Hydria</i> Hübner	5
<i>hyemana</i> (Haw.), <i>Acleris</i>	300
<i>hyperantus</i> (L.), <i>Aphantopus</i>	37
<i>hyperici</i> (D. & S.), <i>Actinotia</i>	185
<i>icarus</i> (Rott.), <i>Polyommatus</i>	36, 156
<i>icteritia</i> (Hufn.), <i>Cirrhia</i>	86, 96
<i>idas</i> (L.), <i>Plebejus</i>	36
<i>ignorata</i> Kuzn., <i>Pammene</i>	4, 303
<i>ilia</i> (D. & S.), <i>Apatura</i>	37
<i>ilicis</i> (Esper), <i>Satyrrium</i>	36
<i>illigerella</i> (Hb.), <i>Epermentia</i>	223
<i>illigerellus</i> (Hb.), <i>Chauliodus</i>	223, 224
<i>illutana</i> (H.-S.), <i>Cydia</i>	303, 308
<i>illyrica</i> (Rebel & Zerny), <i>Standfussiana</i>	256, 258
<i>imella</i> (Hb.), <i>Monopis</i>	289
<i>imitaria</i> (Hb.), <i>Scopula</i>	78
<i>immaculatella</i> Dougl., <i>Eulamprotes</i>	295
<i>immundana</i> (F. & R.), <i>Epinotia</i>	302
<i>imperialella</i> (Zell.), <i>Dialectica</i>	308
<i>impluviata</i> (D. & S.), <i>Hydriomena</i>	56
<i>incognitella</i> (H. -S.), <i>Stigmella</i>	3
<i>inconditella</i> (Lucas), <i>Nemapogon</i>	308
<i>innocentaria</i> (Christoph), <i>Dyscia</i>	76
<i>inoxiella</i> Gregersen & Karsholt, <i>Anarsia</i> I,	294
<i>inopiana</i> (Haw.), <i>Phtheochroa</i>	300
<i>inornata</i> Haw., <i>Idea</i>	78

<i>inornatella</i> (Douglas), <i>Brachmia</i>	295
<i>inquinatana</i> (Hb.), <i>Cydia</i>	166, 303
<i>inscriptella</i> (Dup.), <i>Deplanqueia</i>	304
<i>insectella</i> (Fabr.), <i>Haplotinea</i>	289
<i>insecurella</i> (Staint.), <i>Epermenia</i>	217-226, 300
<i>insecurellus</i> (Staint.), <i>Chauliodus</i>	218-226
<i>insulana</i> (Boisd.), <i>Earias</i>	90, 100
<i>insularis</i> Rambur, <i>Zethes</i>	93
<i>insulsaria</i> (Guen.), <i>Pleuroprucha</i> *	271-274
<i>internana</i> (Guen.), <i>Grapholita</i>	303
<i>interpunctella</i> (Hb.), <i>Plodia</i>	305
<i>interrogationis</i> (L.), <i>Syngrapha</i>	183
<i>interscindana</i> (Möschler), <i>Cydia</i>	1, 106
<i>intimella</i> (Zell.), <i>Ectoedemia</i>	287
<i>inturbata</i> (Hb.), <i>Eupithecia</i>	54
<i>io</i> (L.), <i>Aglais</i>	37
<i>ipsilon</i> (Hufn.), <i>Agrotis</i>	64, 99, 158, 188, 202, 276
<i>isodactylus</i> (Zell.), <i>Platyptilia</i>	299
<i>italica</i> Baldizzzone, <i>Metalampra</i>	293
<i>jacobaeae</i> (L.), <i>Tyria</i>	156
<i>japygiaria</i> (Costa), <i>Menophra</i>	76, 79
<i>joannisi</i> (Le Marchand), <i>Phyllonorycter</i> 3, 291	
<i>jonis</i> (Lederer), <i>Antitype</i>	87, 98
<i>juniperana</i> (Millière), <i>Pammene</i>	283, 304
<i>juniperata</i> (L.), <i>Thera</i>	77
<i>junassicella</i> (Frey), <i>Mompha</i>	308
<i>jurtina</i> (L.), <i>Maniola</i>	32, 37
<i>juventina</i> (Stoll), <i>Calloplistria</i>	95, 159, 184
<i>kadenii</i> (Frey), <i>Caradrina</i>	184, 276
<i>kenterielli</i> Ragonot, <i>Cnephidia</i>	149
<i>kilmunella</i> (Staint.), <i>Elachista</i>	8
<i>kindermanniana</i> (F. von R.), <i>Anchosceles</i>	86, 96
<i>klemannella</i> (Fabr.), <i>Phyllonorycter</i>	291, 308
<i>kochiella</i> (Goeze), <i>Acleris</i>	4
<i>koenigi</i> Căpuse, <i>Nemapogon</i>	3
<i>kolbi</i> Daniel, <i>Meganola</i>	254, 256, 259
<i>kuehniella</i> Zell., <i>Ephestia</i>	305
<i>kuznetzovi</i> Lvovsky, <i>Agonopteryx</i>	309
<i>labeclula</i> (Esper), <i>Dryobota</i>	87, 97, 185
<i>laburnella</i> (Staint.), <i>Leucoptera</i>	293
<i>lacternaria</i> (L.), <i>Falcaria</i>	57
<i>lacteana</i> Caradja, <i>Bactra</i>	4, 301
<i>lacteella</i> (Steph.), <i>Mompha</i>	298
<i>laetus</i> (Zell.), <i>Crombrugghia</i>	165
<i>laichartingella</i> (Goeze), <i>Diplodoma</i>	288
<i>l-album</i> (L.), <i>Mythimna</i>	99, 187
<i>Lamoria</i> Walker	2
<i>langiella</i> (Hb.), <i>Mompha</i>	299
<i>languida</i> (Walker), <i>Mythimna</i>	98
<i>lantanelle</i> (Schrank), <i>Phyllonorycter</i>	290
<i>lapideae</i> (Hb.), <i>Lithophane</i>	86, 97
<i>lapidella</i> (Goeze), <i>Luffia</i>	2, 3, 4, 289
<i>laricana</i> (Hein.), <i>Spilonota</i>	302
<i>lassella</i> Stdgr., <i>Coleophora</i>	297
<i>lathonia</i> (L.), <i>Issoria</i>	36, 166, 202
<i>lathryfoliella</i> (Staint.), <i>Leucoptera</i>	4
<i>latistria</i> (Haw.), <i>Agriphila</i>	306
<i>latreillei</i> (Dup.), <i>Calloplistria</i>	95
<i>latruncula</i> ([D. & S.]), <i>Oligia</i>	57
<i>lautella</i> (Zell.), <i>Phyllonorycter</i>	291
<i>leautieri</i> (Boursin), <i>Lithophane</i>	55
<i>lederi</i> (Stdgr.), <i>Lithophane</i>	67
<i>lemniscella</i> (Zell.), <i>Stigmella</i>	286
<i>lentiginosella</i> (Zell.), <i>Mirificarma</i>	295
<i>leucapennella</i> (Steph.), <i>Caloptilia</i>	290
<i>leucogaster</i> (Frey.), <i>Ochropleura</i>	99, 160, 187
<i>leucomelas</i> (L.), <i>Aedia</i>	94
<i>leucostigma</i> (Hb.), <i>Celaena</i>	60
<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	166
<i>levana</i> (L.), <i>Araschnia</i>	37
<i>libatrix</i> L., <i>Scoliopteryx</i>	13, 18
<i>licarsisalis</i> (Walk.), <i>Herpetogramma</i>	160, 170, 203
<i>lichenaria</i> (Hufn.), <i>Cleorodes</i>	176
<i>ligea</i> (L.), <i>Erebia</i>	37
<i>ligula</i> (Esp.), <i>Conistra</i>	55, 66
<i>limbata</i> (L.), <i>Evergestis</i>	275, 276
<i>limbella</i> (Fabr.), <i>Scythris</i>	299
<i>limospennella</i> (Dup.), <i>Coleophora</i>	296
<i>linearia</i> (Hb.), <i>Cyclophora</i>	271, 272
<i>linneella</i> (Clerck), <i>Chrysoclista</i>	298
<i>linogrisea</i> ([D. & S.]), <i>Epilecta</i>	100
<i>lithargyrinella</i> Zell., <i>Coleophora</i>	308
<i>lithodactyla</i> (Tr.), <i>Oidaematophorus</i>	299
<i>lithuanticus</i> Kozlov, <i>Gracillariites</i>	41-45
<i>littoralis</i> (Boisd.), <i>Spodoptera</i>	67, 84, 95
<i>livida</i> ([D. & S.]), <i>Amphipyra</i>	84, 94
<i>lividalis</i> (Hb.), <i>Hypena</i> 157, 160, 177, 275-276	
<i>lividalis</i> (Hb.), <i>Ophiuche</i>	83, 92
<i>livornica</i> (Esp.), <i>Hyles</i> 157, 158, 159, 173-174	
<i>lixella</i> (Zell.), <i>Coleophora</i>	297
<i>ljungiana</i> (Thunb.), <i>Argyrotaenia</i>	300
<i>l-nigrum</i> (Müll.), <i>Arctornis</i>	177
<i>lobarzewski</i> (Nowicki), <i>Grapholita</i>	303
<i>lobella</i> ([D. & S.]), <i>Luquetia</i>	294
<i>locupletella</i> ([D. & S.]), <i>Mompha</i>	299
<i>lodli</i> Vives, <i>Pheroeca</i>	1
<i>loganella</i> (Staint.), <i>Parornix</i>	290
<i>logiana</i> (Clerck.), <i>Acleris</i>	300
<i>longana</i> (Haw.), <i>Cnephasia</i>	4
<i>loniceriae</i> (Scheven), <i>Zygaena</i>	156
<i>loreyi</i> (Dup.), <i>Leucania</i>	99, 187
<i>lotella</i> (Hb.), <i>Anerastia</i>	305
<i>louisella</i> (Sirc.), <i>Ectoedemia</i>	287
<i>lucens</i> (Freyer), <i>Amphipoea</i>	185
<i>lucernea</i> (L.), <i>Standfussiana</i>	57, 253, 256
<i>lucernea bureschi</i> Tuleschcow, <i>Standfussiana</i>	258
<i>lucidella</i> (Steph.), <i>Monochroa</i>	295
<i>lucina</i> (L.), <i>Hamearis</i>	36
<i>luctuata</i> ([D. & S.]), <i>Spargania</i>	275
<i>luctuosa</i> ([D. & S.]), <i>Tyta</i>	153-156, 183
<i>lueneburgensis</i> (Freyer), <i>Aporophyla</i>	58
<i>lunalis</i> (Scop.), <i>Zanclognatha</i>	178
<i>lunifera</i> (Warren), <i>Xylena</i>	97
<i>lunula</i> (Hufn.), <i>Calophasia</i>	4, 276
<i>lunulana</i> ([D. & S.]), <i>Grapholita</i>	303
<i>lunularia</i> (Hb.), <i>Selenia</i>	176
<i>lurideola</i> (Zincken), <i>Eilema</i>	55
<i>lutea</i> (Hufn.), <i>Spilosoma</i>	55
<i>luteocincta</i> (Rambur), <i>Hadena</i>	252, 256, 257
<i>luteogrisea</i> (Warren), <i>Agrochola</i>	96
<i>luteolata</i> (L.), <i>Opisthograptis</i>	75
<i>lutulenta</i> ([D. & S.]), <i>Aporophyla</i>	66, 88, 98
<i>luzella</i> (Hb.), <i>Lampronia</i>	288

<i>lychnidis</i> (D. & S.), <i>Agrochola</i>	96
<i>machaon</i> (L.), <i>Papilio</i>	36, 37, 166
<i>macilentia</i> (Hb.), <i>Leptologia</i>	96
<i>maculicerusella</i> (Bruand), <i>Elachista</i>	298
<i>Maculinea</i> Eecke	2, 5
<i>maculosana</i> (Haw.), <i>Hysterothorax</i>	301
<i>magdalenae</i> (Klim.), <i>Stigmella</i>	286
<i>magna</i> (Zell.), <i>Nematopogon</i>	150-151, 288
<i>malella</i> (Staint.), <i>Stigmella</i>	286
<i>malvae</i> (L.), <i>Pyrgus</i>	36, 153-154
<i>malvella</i> (Hb.), <i>Pexicopia</i>	295
<i>mannii</i> (Masyer), <i>Pieris</i>	36
<i>mansuetella</i> (Zell.), <i>Micropterix</i>	285
<i>margaritacea</i> (de Villers), <i>Chersotis</i>	99
<i>margaritata</i> (L.), <i>Campaea</i>	76
<i>margaritella</i> (D. & S.), <i>Catoptria</i>	171
<i>margarotana</i> (Hein.), <i>Gravitarinata</i>	165
<i>marginana</i> (Haw.), <i>Endothenia</i>	301
<i>marginipunctata</i> (Goeze), <i>Scopula</i>	78
<i>maritima</i> (Tauscher), <i>Chilodes</i>	55
<i>maritima</i> (Tengst.), <i>Phycitodes</i>	305
<i>maritima</i> Staint., <i>Bucculatrix</i>	289
<i>marmorea</i> , (Haw.), <i>Acrobasis</i>	305
<i>maroccanella</i> Amsel, <i>Blastobasis</i>	3
<i>matura</i> (Hufn.), <i>Thaupophila</i>	95
<i>megera</i> (L.), <i>Lasiommata</i>	37
<i>mellinata</i> (Fabr.), <i>Eulithis</i>	58
<i>mellonella</i> (L.), <i>Galleria</i>	304
<i>men dica</i> (Clerck), <i>Diaphora</i>	39, 55
<i>menyanthidis</i> (Esper), <i>Acronicta</i>	239-241
<i>menyanthidis suffusa</i> Tutt, <i>Acronicta</i>	239-241
<i>merckii</i> (Rambur), <i>Lithophane</i>	67
<i>messaniella</i> (Zell.), <i>Phyllonorycter</i>	290, 307
<i>meticulosa</i> (L.), <i>Phlogophora</i>	95
<i>miata</i> (L.), <i>Chloroclysta</i>	18
<i>micalis</i> (Mann), <i>Tebenna</i>	158, 165
<i>microdactyla</i> (Hb.), <i>Adaina</i>	299
<i>Microloxia</i> Warren	1
<i>microtheriella</i> (Staint.), <i>Stigmella</i>	286
<i>mieana</i> Falck & Karsholt, <i>Lobesia</i>	119
<i>miniosa</i> (D. & S.), <i>Orthosia</i>	186
<i>minorata</i> (Tr.), <i>Perizoma</i>	58
<i>mixtus</i> , <i>Gracillariites</i>	43
<i>molliculana</i> Zell., <i>Cochylis</i>	301
<i>Moma</i> Hb.	3
<i>monodactyla</i> (L.), <i>Emmelina</i>	299
<i>morosina</i> (H.-S.), <i>Eilema</i>	252
<i>morpheus</i> (Pallas), <i>Heteropteris</i>	36
<i>muelleriella</i> (Zell.), <i>Phyllonorycter</i>	290
<i>muralis</i> (Forster), <i>Nyctobrya</i>	276
<i>muscerda</i> (Hufn.), <i>Pelosis</i>	178
<i>musiva</i> (Hübner), <i>Albocosta</i>	258
<i>mygindiana</i> (D. & S.), <i>Stichtia</i>	308
<i>myrtillana</i> (Tr.), <i>Ancylis</i>	302
<i>myrtillella</i> (Staint.), <i>Stigmella</i>	286
<i>nanana</i> (Tr.), <i>Epinotia</i>	302
<i>napi</i> (L.), <i>Pieris</i>	31, 36
<i>nebulata</i> (Scop.), <i>Euchoeca</i>	54
<i>nebulella</i> (D. & S.), <i>Homeosoma</i>	168
<i>nebulella</i> (Goeze), <i>Paraswammerdamia</i>	238
<i>nemoralis</i> (Scop.), <i>Agrotera</i>	169, 306, 308
<i>Nepticulidae</i>	3
<i>neritaria</i> (H. - S.), <i>Proteuchloris</i>	244, 249

<i>nervosa</i> (Haw.), <i>Agonopterix</i>	308
<i>ni</i> (Hb.), <i>Trichoplusia</i>	94, 157, 158, 181-182, 273
<i>nicellii</i> (Staint.), <i>Phyllonorycter</i>	291, 307
<i>nigra</i> (Haw.), <i>Aporophyla</i>	98
<i>nigra</i> (Haw.), <i>Gelechia</i>	295
<i>nigricostana</i> (Haw.), <i>Endothenia</i>	4
<i>nigropunctata</i> (Hufn.), <i>Scopula</i>	175
<i>nitida</i> (D. & S.), <i>Anchiscelis</i>	66, 86, 96
<i>nitidalis</i> (Walk.), <i>Musotima</i>	306
<i>nitidulata</i> (Hufn.), <i>Nymphula</i>	306
<i>noctuella</i> (D. & S.), <i>Nomophila</i>	75, 158, 188, 192, 203, 276
<i>notana</i> (Don.), <i>Acleris</i>	300
<i>notatella</i> (Hb.), <i>Carpatolechia</i>	296
<i>nubigera</i> (H.-S.), <i>Heliothis</i>	161, 183-184
<i>nubilalis</i> (Hb.), <i>Ostrinia</i>	169
<i>nubilana</i> (Real), <i>Neosphaleroptera</i>	3
<i>nupta</i> (L.), <i>Catocala</i>	20, 93
<i>nyctopis</i> Meyrick, <i>Trachypepla</i>	10-11
<i>nyctymeridis stavroitiacus</i> Toulechkoff, <i>Rhyacia</i>	258
<i>obductella</i> (Zell.), <i>Moitrelia</i>	276
<i>obelisca</i> (Tutt), <i>Euxoa</i>	58
<i>obesalis</i> (Tr.), <i>Hypena</i>	177
<i>oblitella</i> (Dup.), <i>Ancylosis</i>	168
<i>obliterata</i> (Rambur), <i>Phyllophila</i>	84, 94, 253, 255, 259, 312
<i>obscurana</i> (Steph.), <i>Pammene</i>	304
<i>obscurata</i> (D. & S.), <i>Charissa</i>	76
<i>obsoleta</i> (Hb.), <i>Leucania</i>	56, 276
<i>obsoletella</i> (F. v. R.), <i>Scrobipalpa</i>	296
<i>obspitata</i> (Fab.), <i>Nycterosa</i>	195-196
<i>obtusata</i> (H.-S.), <i>Pelosis</i>	178
<i>obumbratana</i> (Lien. & Zell.), <i>Eucosma</i>	302
<i>obiella</i> (D. & S.), <i>Monopis</i>	289
<i>occulta</i> (L.), <i>Euxoa</i>	59, 188, 204
<i>occutella</i> (L.), <i>Ectoedemia</i>	288
<i>ocellaris</i> (Borkh.), <i>Cirrhia</i>	66
<i>occella</i> (Haw.), <i>Euchromius</i>	161, 170-171
<i>ochraceella</i> (Curt.), <i>Mompha</i>	298
<i>ochraceella</i> (Turati), <i>Mesophleps</i>	1
<i>ochrata</i> (Scop.), <i>Idaea</i>	175, 202, 205
<i>ochrodactyla</i> (D. & S.), <i>Gillmeria</i>	299
<i>ocularis</i> (L.), <i>Tethea</i>	54
<i>ohridella</i> Deschka & Dimic, <i>Cameraria</i>	3, 139, 140, 291
<i>oleae</i> (Bernard), <i>Prays</i>	307
<i>oleastrella</i> (Mill.), <i>Zelleria</i>	292
<i>olivalis</i> (D. & S.), <i>Udea</i>	305
<i>olivata</i> (D. & S.), <i>Colostygia</i>	58
<i>Omphaloscelis</i> Hampson	3
<i>ononaria</i> (Fuessl.), <i>Aplasta</i>	177
<i>operculella</i> (Zell.), <i>Phthorimaea</i>	296
<i>Ophiura</i> Ochseneheimer	2
<i>opulentana</i> Millièr, <i>Grapholita</i>	106
<i>orana</i> (F. v. R.), <i>Adoxophyes</i>	300
<i>orbitella</i> Zell., <i>Coleophora</i>	297
<i>orbana</i> (Hufn.), <i>Noctua</i>	59, 99
<i>orichalcea</i> (Frey.), <i>Thysanoplusia</i>	160, 182
<i>ornata</i> (Scop.), <i>Scopula</i>	78
<i>ornatalis</i> (Dup.), <i>Hydriris</i>	67, 75, 79
<i>ornitopus</i> (Hufn.), <i>Lithophane</i>	97

<i>osseana</i> (Scop.), <i>Eana</i>	300
<i>ostrina</i> (Hb.), <i>Eublemma</i>	93, 179
<i>ostrinalis</i> (Hb.), <i>Pyrausta</i>	305
<i>otidipennella</i> (Hb.), <i>Coleophora</i>	297
<i>oxyacanthae</i> (L.), <i>Allophyes</i>	95
<i>oxybiata</i> (Millière), <i>Xanthorhoe</i>	76, 80
<i>Oxyptilus</i> = <i>Crombrugghia</i>	5
<i>pacatolana</i> (Zell.), <i>Cydia</i>	303
<i>padella</i> (L.), <i>Yponomeuta</i>	291
<i>padifoliella</i> (Hb.), <i>Lyonetia</i>	2, 4
<i>palealis</i> ([D. & S.]), <i>Sitochroa</i>	169, 305
<i>palleola</i> Hb., <i>Eilema</i>	252
<i>palliatella</i> (Scop.), <i>Eilema</i>	250, 252, 255
<i>pallidata</i> (Hufn.), <i>Evergestis</i>	306
<i>paludella</i> (Hb.), <i>Calamotropha</i>	4, 306
<i>palumbella</i> (D. & S.), <i>Pempelia</i>	304
<i>palestrellus</i> (Dougl.), <i>Monochroa</i>	295
<i>pamphilus</i> (L.), <i>Coenonympha</i>	37
<i>paphia</i> (L.), <i>Argynnis</i>	36
<i>paradoxa</i> (Frey), <i>Stigmella</i>	286
<i>parallelineata</i> (Retzius), <i>Mesotype</i>	77, 81
<i>parasitella</i> Stdgr.	2
<i>paripennella</i> Zell., <i>Coleophora</i>	298
<i>parita</i> (Guen.), <i>Galgula</i>	159, 184
<i>parva</i> (Hb.), <i>Eublemma</i>	93, 157, 158, 179-180, 204
<i>pastorella</i> (Zell.), <i>Phyllonorycter</i>	291
<i>Patania</i> Moore.....	2, 5
<i>pavonia</i> (L.), <i>Saturnia</i>	153-156
<i>pedella</i> (L.), <i>Stathmopoda</i>	299
<i>peltigera</i> (D. & S.), <i>Heliothis</i>	56, 95, 157, 158, 159, 197-198
<i>pennaria</i> (L.), <i>Colotois</i>	75
<i>perieresalis</i> (Walk.), <i>Diploseustis</i>	4, 169
<i>permixtana</i> ([D. & S.]), <i>Gynnidomorpha</i>	105
<i>permixtana</i> Hb., <i>Lobesia</i>	112, 114
<i>permutatellus</i> (H- S.), <i>Catoptria</i>	306
<i>pernyi</i> (Guérin-Ménéville), <i>Antheraea</i>	172
<i>perpygmaeella</i> (Doubl.), <i>Stigmella</i>	287
<i>persicariae</i> (L.), <i>Melanchra</i>	57
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	4, 69, 122-147, 170, 284, 306
<i>petryi</i> Martini, <i>Antispila</i>	2, 4
<i>phasianipenella</i> (Hb.), <i>Calybites</i>	290
<i>Phengaris</i> Doherty	2, 5
<i>Pheroeeca</i> Hinton & Bradley	1
<i>phlaeas</i> (L.), <i>Lycaena</i>	156
<i>phoebe</i> (D. & S.), <i>Melitaea</i>	37
<i>picaepennis</i> (Haw.), <i>Scythris</i>	299
<i>pilella</i> ([D. & S.]), <i>Nematopogon</i>	150
<i>pimpinellata</i> (Hb.), <i>Eupithecia</i>	54
<i>pinastri</i> (L.), <i>Sphinx</i>	276
<i>pinguis</i> (Haw.), <i>Euzophera</i>	305
<i>pini</i> (L.), <i>Dendrolimus</i>	202
<i>piniariella</i> Zell., <i>Ocnerosoma</i>	292
<i>pinivorana</i> (Lien. & Zell.), <i>Rhyacionia</i>	303
<i>pirithous</i> (L.), <i>Leptotes</i>	69
<i>pitycopampa</i> (D. & S.), <i>Thaumetopoea</i>	203
<i>plagiata</i> (L.), <i>Aplocera</i>	77
<i>plebejana</i> (Zell.), <i>Crociosema</i>	165, 302
<i>pecta</i> (L.), <i>Ochropleura</i>	99
<i>Plesiomorpha</i> Warren	1
<i>Pleuroptya</i> Meyrick	2, 5

<i>plexippus</i> (L.), <i>Danaus</i>	166, 273
<i>plumaria</i> ([D. & S.]), <i>Selidosema</i>	76
<i>plumbella</i> ([D. & S.]), <i>Yponomeuta</i>	291
<i>poae</i> Staint., <i>Elachista</i>	3
<i>podalirius</i> (L.), <i>Iphiclides</i>	36, 166
<i>polychloros</i> (L.), <i>Nymphalis</i>	166
<i>polychromella</i> (Rebel), <i>Syncopacma</i>	161, 163-164
<i>polygrammata</i> (Borkh.), <i>Costaconvexa</i>	76, 176
<i>polyodon</i> (Clerck), <i>Actinotia</i>	24-25
<i>populana</i> (Fabr.), <i>Pammene</i>	304
<i>populetorum</i> (Zell.), <i>Caloptilia</i>	290
<i>porphyra</i> (Hb.), <i>Eudemis</i>	301
<i>porrectella</i> (L.), <i>Plutella</i>	292
<i>postvittana</i> (Walker), <i>Epiphyas</i>	300, 308
<i>potentillae</i> Elisha, <i>Coleophora</i>	297
<i>poterii</i> (Staint.), <i>Stigmella</i>	286
<i>praecox</i> (L.), <i>Actebia</i>	59
<i>pratella</i> (L.), <i>Crambus</i>	171
<i>probaria</i> (H- S.), <i>Coenoteophria</i>	80
<i>proboscidalis</i> (L.), <i>Hypena</i>	92
<i>proboscidata</i> (H-S.), <i>Orectis</i>	92
<i>procax</i> (Hb.), <i>Lygephila</i>	93
<i>procerella</i> ([D. & S.]), <i>Bisigna</i>	4, 275
<i>procerella</i> (D. & S.), <i>Promalactis</i>	4
<i>processionea</i> (L.), <i>Thaumetopoea</i>	142, 177
<i>Promalactis</i> Meyrick	2
<i>prometheus</i> (Kollar), <i>Caligo</i>	166
<i>prominens</i> (Walker), <i>Mythimna</i>	98
<i>pronuba</i> (L.), <i>Noctua</i>	99, 187
<i>propinquella</i> (Tr.), <i>Agonopterix</i>	294
<i>proserpina</i> (Pallas) <i>Proserpinus</i>	173, 251
<i>prunalis</i> ([D. & S.]), <i>Udea</i>	305
<i>prunetorum</i> (Staint.), <i>Stigmella</i>	286
<i>pruniella</i> (Clerck), <i>Argyresthia</i>	293
<i>prunifoliella</i> (Hb.), <i>Lyonetia</i>	4, 293
<i>pseudocomma</i> (Rebel & Zerny), <i>Mythimna</i>	253, 258
<i>pulchella</i> (L.), <i>Utetheisa</i>	22-23, 67, 83, 93, 178
<i>pulcherrimella</i> Staint, <i>Depressaria</i>	294
<i>pulchrimella</i> Chambers, <i>Cosmopterix</i>	307
<i>pulicariae</i> (Klimesch), <i>Digitivalva</i>	292
<i>pulla</i> ([D. & S.]), <i>Scotochrosta</i>	97
<i>pulveralis</i> (Hb.), <i>Psammotis</i>	169, 308
<i>pulverosella</i> (Staint.), <i>Bohemannia</i>	287
<i>pumilio</i> (Hoffmansegg), <i>Gegenes</i>	69
<i>punctidactyla</i> (Haw.), <i>Amblyptilia</i>	299
<i>punctulata</i> (D.&S.), <i>Aethalura</i>	55
<i>puppillaria</i> (Hb.), <i>Cyclophora</i>	78, 175
<i>purpuralis</i> (L.), <i>Pyrausta</i>	305
<i>purpurina</i> ([D. & S.]), <i>Eublemma</i>	93, 180
<i>puta</i> (Hb.), <i>Agrotis</i>	56, 99
<i>putrescens</i> (Hb.), <i>Leucania</i>	99
<i>putris</i> (L.), <i>Axylla</i>	99
<i>pyralella</i> ([D. & S.]), <i>Scoparia</i>	306
<i>pyramidea</i> (L.), <i>Amphipyra</i>	55, 94
<i>pyritoides</i> (Hufn.), <i>Habrosyne</i>	54
<i>pyrrhulipennella</i> Zell., <i>Coleophora</i>	297
<i>quadra</i> (L.), <i>Lithosia</i>	178
<i>quadrifasiata</i> (Cl.), <i>Xanthorhoe</i>	54
<i>quadrillella</i> (Goeze), <i>Ethmia</i>	163
<i>quadrinaculella</i> (Boh.), <i>Bohemannia</i>	2

<i>quadripuncta</i> (Haw.), <i>Oegoconia</i>	293
<i>quadripunctaria</i> (Poda), <i>Euplagia</i>	276
<i>quercana</i> (Fabr.), <i>Carcina</i>	294
<i>quercus</i> (L.), <i>Favonius</i>	69
<i>quercus</i> (L.), <i>Lasiocampa</i>	154
<i>quinqueguttella</i> (Staint.), <i>Phyllonorycter</i>	291
<i>radicella</i> (Bedell), <i>Ectoedemia</i>	3
<i>radicaria</i> (La Harpe), <i>Horisme</i> *	261-268
<i>ragusana</i> (Freyer), <i>Honeyania</i>	253
<i>rajella</i> (L.), <i>Phyllonorycter</i>	291
<i>ramburiatis</i> (Dup.), <i>Diasemiopsis</i>	169
<i>ramburiellus</i> (Dup.), <i>Euchromius</i>	1
<i>rapae</i> (L.), <i>Pieris</i>	31-33, 36
<i>raptricula</i> (D. & S.), <i>Bryophila</i>	95
<i>ratzeburgiana</i> (Saxesen), <i>Zeiraphera</i>	302
<i>raunaria</i> (Freyer), <i>Dyscia</i>	244, 249, 254
<i>ravida</i> (D. & S.), <i>Spalotus</i>	59
<i>rectifasciana</i> (Haw.), <i>Isotrias</i>	300
<i>recurvalis</i> (Fabr.), <i>Spoladea</i>	67, 69, 79, 160
169-170, 306	
<i>reducta</i> (Stdgr.), <i>Limenitis</i>	37
<i>regiana</i> (Zell.), <i>Pammene</i>	304
<i>reliquana</i> (Hb.), <i>Lobesia</i>	105-121
<i>repandalis</i> (D. & S.), <i>Paracorsia</i>	168
<i>repandaria</i> (Hufn.), <i>Epione</i>	75
<i>ramni</i> (L.), <i>Gonepteryx</i>	36
<i>rhenella</i> (Zinck.), <i>Sciota</i>	159, 167
<i>rhomboidarius</i> (D. & S.), <i>Peribatodes</i>	76
<i>riguata</i> (Hb.), <i>Cataclysm</i>	76
<i>rimicola</i> [(D. & S.)], <i>Eriogaster</i>	78
<i>ripae</i> (Hb.), <i>Agrotis</i>	58
<i>rivulana</i> (Scop.), <i>Celypha</i>	301
<i>rivularis</i> (Scop.), <i>Neptis</i>	37
<i>roborella</i> (Johansson), <i>Stigmella</i>	287, 307
<i>rorrella</i> (Hb.), <i>Yponomeuta</i>	291
<i>rosaecolana</i> (Doubl.), <i>Notocelia</i>	303
<i>roselana</i> (Cramer), <i>Kirinia</i>	37
<i>rubella</i> (Dup.), <i>Luperina</i>	95
<i>rubi</i> L., <i>Callophrys</i>	36
<i>rubiginata</i> (Hufn.), <i>Scopula</i>	78, 175
<i>rubiginea</i> [(D. & S.)], <i>Conistra</i>	97
<i>rubiginosa</i> (Scop.), <i>Conistra</i>	103-104, 185
<i>rubiginosana</i> (H.-S.), <i>Epinotia</i>	302
<i>rubricollis</i> (L.), <i>Atolmis</i>	55, 158, 178
<i>rubrirenna</i> (Tr.), <i>Apamea</i>	252, 257
<i>rufana</i> (Scop.), <i>Celypha</i>	308
<i>rufella</i> (Dup.), <i>Pterothrixidia</i>	149
<i>rufescens</i> (Haw.), <i>Helcystogramma</i>	295
<i>ruficapitella</i> (Haw.), <i>Stigmella</i>	287, 307
<i>ruficeps</i> (Hein.), <i>Prays</i>	3, 293
<i>ruficiliaria</i> (H.-S.), <i>Cyclophora</i>	175
<i>rufifasciata</i> (Haw.), <i>Gymnoscelis</i>	77
<i>rufipennella</i> (Hb.), <i>Caloptilia</i>	290
<i>rufocincta</i> (Geyer), <i>Polymixis</i>	98
<i>rugosana</i> (Hb.), <i>Phtheochroa</i>	301
<i>rumicis</i> (L.), <i>Acronicta</i>	94
<i>rungsii</i> (Toulgoët), <i>Eilema</i>	250, 252, 255
<i>ruralis</i> (Scop.), <i>Patania</i>	305
<i>ruralis</i> (Scop.), <i>Pleuroptya</i>	69
<i>ruvicolella</i> (Staint.), <i>Nemapogon</i>	237
<i>ruscinonella</i> (Ragonot), <i>Gymnancyla</i>	152-153
<i>sacraria</i> (L.), <i>Rhodometra</i>	56, 78, 82,
157, 159, 195	

<i>salicorniae</i> Hein. & Wocke, <i>Coleophora</i>	298
<i>saligna</i> (Zell.), <i>Phyllocnistis</i>	291
<i>salinella</i> Staint., <i>Coleophora</i>	297
<i>salopiella</i> (Staint.), <i>Eriocrania</i>	286
<i>samadensis</i> (Pfaff.), <i>Scrobipalpa</i>	296
<i>sangii</i> (Wood), <i>Eriocrania</i>	286
<i>sappho</i> (Pallas), <i>Neptis</i>	37
<i>sarcitrella</i> (L.), <i>Endrosis</i>	307
<i>sartata</i> Tr., <i>Gnophos</i>	76
<i>saucia</i> (Hb.), <i>Peridroma</i>	58, 99, 158, 201-202
<i>saxicolella</i> (Dup.), <i>Coleophora</i>	297
<i>scabrella</i> (L.), <i>Ypsolopha</i>	292
<i>schreibersiana</i> (Fröl.), <i>Phtheochroa</i>	301
<i>schulziana</i> , (Fabr.), <i>Phiaris</i>	301
<i>schwarziellus</i> Zell., <i>Nematopogon</i>	288
<i>schwingenschussi</i> Boursin, <i>Caradrina</i>	256
<i>scopalacina</i> (Esper.), <i>Apamea</i>	55
<i>scopariella</i> (Hein.), <i>Agonopterix</i>	3, 294
<i>scoriacea</i> (Esper), <i>Cleocercis</i>	96
<i>scrophulariae</i> (D. & S.),	
<i>Shargacucullia</i>	235-236
<i>secundaria</i> [(D. & S.)], <i>Peribatodes</i>	76
<i>sedatana</i> Busck, <i>Dichrorampha</i>	303
<i>sedella</i> Tr., <i>Yponomeuta</i>	292
<i>segetum</i> (D. & S.), <i>Agrotis</i>	99
<i>Selagia</i> Hb.,	2
<i>selasella</i> (Hb.), <i>Agriphila</i>	306
<i>semibrunnea</i> (Haw.), <i>Lithophane</i>	259, 312
<i>semifascia</i> (Haw.), <i>Caloptilia</i>	290
<i>semifasciana</i> (Haw.), <i>Apotomis</i>	301
<i>semifusca</i> (Haw.), <i>Argyresthia</i>	293
<i>semigraphata</i> Bruand, <i>Eupithecia</i>	77
<i>senectaria</i> (H.-S.), <i>Nebula</i>	77, 80
<i>senectella</i> (Zell.), <i>Bryotropha</i>	295
<i>senex</i> (Geyer), <i>Ammoconia</i>	98
<i>senticetella</i> (Stdgr.), <i>Gelechia</i>	295
<i>sequana</i> (Hb.), <i>Dichrorampha</i>	303
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	292
<i>sericealis</i> (Scop.), <i>Rivula</i>	92
<i>sericella</i> (Haw.), <i>Heliozela</i>	288
<i>sericopeza</i> (Zell.), <i>Ectoedemia</i>	287
<i>serpentina</i> (Tr.), <i>Polymixis</i>	88, 98
<i>serratilineella</i> (Ragonot), <i>Vinula</i>	159, 160,
168, 205, 312	
<i>servadeii</i> Parenzan, <i>Dryobotodes</i>	97
<i>sexguttella</i> (Thunb.), <i>Chrysostethia</i>	295
<i>sexpunctella</i> (Fabr.), <i>Prolita</i>	295
<i>sfakesella</i> (Chrétien), <i>Gymnancyla</i>	152-153
<i>siccifolia</i> Staint., <i>Coleophora</i>	296
<i>sicula</i> (Tr.), <i>Mythimna</i>	98, 256, 258
<i>siculana</i> (Fuchs), <i>Nycteola</i>	89, 100
<i>silvella</i> (Hb.), <i>Crambus</i>	171
<i>similella</i> (Hb.), <i>Denisia</i>	167, 304
<i>simplicella</i> Hein., <i>Dioryctria</i>	4, 304
<i>simplicitata</i> (Haw.), <i>Eupithecia</i>	47-48, 54
<i>Simyra</i> Ochsenheimer	3
<i>sinapis</i> (L.), <i>Leptidea</i>	36
<i>sinuella</i> (Fabr.), <i>Homoeosoma</i>	4, 305
<i>siterata</i> (Hufn.), <i>Chloroclysta</i>	18, 77
<i>socia</i> (Hufn.), <i>Lithophane</i>	55, 86, 97, 259, 312
<i>solieri</i> (Boisd.) <i>Mniotype</i>	98
<i>somnulenta</i> (Zell.), <i>Bedellia</i>	307
<i>sororcula</i> (Hufn.), <i>Eilema</i>	93

<i>spadicearia</i> (D. & S.), <i>Xanthorhoe</i>	56
<i>sparganii</i> (Esp.), <i>Globia</i>	252, 257
<i>sparrmannella</i> (Bosc.), <i>Eriocrania</i>	286
<i>spartiella</i> (Schränk.), <i>Anarsia</i>	294
<i>speciosa</i> (Frey), <i>Stigmella</i>	3, 287
<i>spectrum</i> (Esper), <i>Apopestes</i>	83, 93
<i>sphinx</i> (Hufn.), <i>Asteroscopus</i>	66
<i>spinella</i> (Schränk.), <i>Coleophora</i>	296
<i>spini</i> (D. & S.), <i>Satyrium</i>	36
<i>spinifera</i> (Hb.), <i>Agrotis</i>	99
<i>spinosella</i> (Joannis), <i>Ectoedemia</i>	3
<i>splendana</i> (Hb.), <i>Cydia</i>	303
<i>splendens</i> (Hb.), <i>Lacanobia</i>	186, 203
<i>sponsa</i> (L.), <i>Catocala</i>	180
<i>steinkellneriana</i> (D. & S.), <i>Semioscopia</i>	294
<i>stellatarum</i> (L.), <i>Macroglossum</i>	157, 158, 189
	193-194, 204
<i>stephensi</i> (Staint.), <i>Dystebenna</i>	298
<i>sternipennella</i> (Zett.), <i>Coleophora</i>	298
<i>stettinensis</i> (Nic.), <i>Phyllonorycter</i>	291
<i>sticticalis</i> (L.), <i>Loxostege</i>	168-169
<i>sticticana</i> (Fabr.), <i>Epiblema</i>	302
<i>stigmatella</i> (Fab.), <i>Caloptilia</i>	307
<i>straminata</i> (Borkh.), <i>Idaea</i>	78
<i>straminea</i> (Haw.), <i>Cochylimorpha</i>	301
<i>straminea</i> (Tr.), <i>Mythimna</i>	56, 60
<i>strataria</i> (Hufn.), <i>Biston</i>	55
<i>stratitotata</i> (L.), <i>Parapoynx</i>	306
<i>striatipennella</i> Nyl., <i>Coleophora</i>	298
<i>strigata</i> (Fabr.), <i>Lathronympha</i>	303
<i>strigata</i> Rougeot & Viette, <i>Lemonia</i>	78, 82
<i>strigosa</i> (D. & S.), <i>Acronicta</i>	159, 183
<i>strigula</i> (D. & S.), <i>Meganola</i>	257, 259
<i>strigulatella</i> (Lien. & Zell.), <i>Phyllonorycter</i>	3
<i>strobilella</i> (L.), <i>Cydia</i>	4
<i>sturnipennella</i> (Tr.), <i>Mompha</i>	299
<i>suasa</i> (D. & S.), <i>Lacanobia</i>	56
<i>Subacronicta</i> Rota	3
<i>subalbidella</i> Schläger, <i>Elachista</i>	298
<i>submaculella</i> (Haw.), <i>Ectoedemia</i>	287
<i>subbistrigella</i> (Haw.), <i>Mompha</i>	298
<i>subclamidula</i> Stdgr., <i>Nola</i>	254, 257, 259
<i>subcinctella</i> (Bruand), <i>Scythris</i>	2, 5, 299
<i>submutata</i> (Tr.), <i>Scopula</i>	78, 273
<i>subpurpurella</i> (Haw.), <i>Dyseriocrania</i>	285
<i>subsericata</i> (H.-S.), <i>Olivenebula</i>	251, 257
<i>subtusa</i> (D. & S.), <i>Ipimorpha</i>	57
<i>succenturiata</i> (L.), <i>Eupithecia</i>	57, 250,
	251, 312
<i>sulphurago</i> (D. & S.), <i>Tiliacea</i>	66, 85, 96
<i>sulphurella</i> (Fabr.), <i>Esperia</i>	294
<i>supinaria</i> (Mann), <i>Charissa</i>	76, 79, 80, 90
<i>supunctaria</i> (Zell.), <i>Cyclophora</i>	78
<i>suscianja</i> (von Mentzer), <i>Caradrina</i>	251, 255,
	256
<i>suspectana</i> (Lien. & Zell.), <i>Pammene</i>	304
<i>sylvanus</i> (Esper), <i>Ochlodes</i>	36
<i>sylvata</i> (Scop.), <i>Abraxas</i>	176
<i>sylvella</i> (L.), <i>Ypsolopha</i>	292
<i>sylvestrana</i> (Curtis), <i>Clavigesta</i>	303
<i>sylvestrella</i> (Ratz.), <i>Dioryctria</i>	167, 304
<i>sylvestris</i> (Poda), <i>Thymelicus</i>	36
<i>sylvina</i> (L.), <i>Triodia</i>	69

<i>Syncopacma</i> Meyrick	2, 4
<i>syringaria</i> (L.), <i>Apeira</i>	57
<i>tages</i> (L.), <i>Erynnis</i>	36
<i>tamesis</i> Waters, <i>Coleophora</i>	297
<i>taraxaci</i> (D. & S.), <i>Lemonia</i>	78
<i>taurella</i> (D. & S.), <i>Ochsenheimeria</i>	292
<i>tedella</i> (Clerck), <i>Epinotia</i>	302
<i>templi</i> (Thunb.), <i>Dasypolia</i>	59
<i>tenebrosa</i> (Esper), <i>Dryobotodes</i>	97, 185-186
<i>tenebrosana</i> (Dup.), <i>Grapholita</i>	303
<i>tentaculella</i> (Hb.), <i>Ancylomia</i>	159, 172
<i>tephroleuca asiatica</i> (Boisd.), <i>Hadena</i>	258
<i>tephroleuca tephroleuca</i> (Boisd.), <i>Hadena</i>	253, 258
<i>terebrella</i> (Zinck.), <i>Assara</i>	168
<i>terminella</i> (H. & W.), <i>Mompha</i>	299
<i>tersa</i> (D. & S.), <i>Episema</i>	85, 96
<i>tersata</i> (D. & S.), <i>Horisme</i>	261-268
<i>tetra</i> (Fabr.), <i>Amphipyra</i>	94
<i>tetrapunctella</i> (Thunb.), <i>Athrips</i>	308
<i>tetraquetrana</i> (Haw.), <i>Epinotia</i>	302
<i>tibiaria</i> (Rambur), <i>Pachycnemia</i>	244, 249
<i>tiliae</i> (Frey), <i>Stigmella</i>	286
<i>tirhaca</i> (Cramer), <i>Ophiura</i>	2, 83, 93
<i>tirrenica</i> Biebinge, <i>Noctua</i>	99
<i>tityus</i> (L.), <i>Hemaris</i>	54
<i>togatalis</i> (Hb.), <i>Meganola</i>	100
<i>traducalis</i> (Zell.), <i>Synclera</i>	67, 75, 79
<i>tragopoginis</i> (Clerck), <i>Amphipyra</i>	94
<i>trauniana</i> (D. & S.), <i>Pammene</i>	4
<i>treitschkiella</i> (F. von R.), <i>Antispila</i>	1, 2, 288
<i>trifasciata</i> Stdgr., <i>Argyresthia</i>	293
<i>trifolii</i> (Curt.), <i>Coleophora</i>	308
<i>trifolii</i> (Hufn.), <i>Anarta</i>	56
<i>trigeminella</i> Fuchs, <i>Coleophora</i>	296
<i>trimaculella</i> (Haw.), <i>Stigmella</i>	308
<i>trinotella</i> Thunberg, <i>Tinea</i>	289
<i>triplasia</i> (L.), <i>Abrostola</i>	55
<i>tripoliana</i> (Barrett), <i>Eucosma</i>	302
<i>tripuncta</i> (Haw.), <i>Telechrysis</i>	3, 294
<i>triquetrella</i> (Hb.), <i>Dahlica</i>	288
<i>trisinaria</i> (H.-S.), <i>Eupithecia</i>	56
<i>tritophus</i> (D. & S.), <i>Notodonta</i>	177
<i>trux</i> (Hb.), <i>Agrotis</i>	99
<i>tubulosa</i> (Retzius), <i>Taleporia</i>	288
<i>tumidana</i> (D. & S.), <i>Acrobasis</i>	168
<i>turbida</i> (Esper), <i>Sideridis</i>	58
<i>tusciaria</i> (Borkhausen), <i>Crocallis</i>	66, 75, 79
<i>ulceratalis</i> Lederer, <i>Cornifrons</i>	1, 157,
	161, 170
<i>ulmella</i> Zell., <i>Bucculatrix</i>	289, 307
<i>ulmifoliae</i> Hering, <i>Bucculatrix</i>	290
<i>umbellana</i> (Fabr.), <i>Agonopterix</i>	294
<i>umbrana</i> (Hb.), <i>Acleris</i>	300
<i>umbraria</i> (Hb.), <i>Peribatodes</i>	76
<i>umbratica</i> (L.), <i>Cucullia</i>	55
<i>undalis</i> (Fabr.), <i>Hellula</i>	170
<i>unicata</i> (Guenée), <i>Protorhoe</i>	249, 254
<i>unicolorella</i> Stdgr., <i>Ephestia</i>	2, 5
<i>unimaculella</i> (Zett.), <i>Eriocrania</i>	286
<i>unipuncta</i> (Haw.), <i>Mythimna</i>	98, 200-201
<i>unita</i> (D. & S.), <i>Eilema</i>	252
<i>unitana</i> (Hb.), <i>Zelotheres</i>	300

<i>unitella</i> (Hb.), <i>Crassa</i>	293
<i>upupana</i> (Tr.), <i>Ancylis</i>	301
<i>urticae</i> (L.), <i>Aglais</i>	32
<i>ustalella</i> (Fabricius), <i>Dichomeris</i>	21
<i>ustulana</i> (Haw.), <i>Endothenia</i>	301
<i>utonella</i> Frey, <i>Elachista</i>	3, 298
<i>vaccinii</i> (L.), <i>Conistra</i>	18, 97
<i>vacculella</i> F. v. R., <i>Ochsenheimeria</i>	292
<i>valerianata</i> (Hb.), <i>Eupithecia</i>	57
<i>variata</i> (Clemens), <i>Nemapogon</i>	289
<i>variegata</i> (Dup.), <i>Charissa</i>	76
<i>variella</i> (Brandt), <i>Nematopogon</i>	150-151
<i>vectisana</i> (H. & W.), <i>Gynnidomorpha</i>	301
<i>velocella</i> (Zell.), <i>Aroga</i>	295
<i>velox</i> (Hb.), <i>Metachrostis</i>	93
<i>venosata</i> (Fab.) <i>Eupithecia</i>	56
<i>verbascalis</i> ([D. & S.]), <i>Anania</i>	305
<i>verellus</i> (Zinck.), <i>Catoptria</i>	158, 159, 171, 202, 306
<i>verhuella</i> Bruand, <i>Psychoides</i>	289, 307
<i>veronicae</i> (Hb.), <i>Conistra</i>	66, 86, 91, 97
<i>vespertilio</i> (Esper.), <i>Hyles</i>	251
<i>vespiformis</i> (L.), <i>Synanthedon</i>	237
<i>vetusta</i> (Hb.), <i>Xylena</i>	185, 204
<i>vetustata</i> (D. & S.), <i>Thera</i>	176
<i>v-flava</i> (Haw.), <i>Oinophila</i>	289
<i>viburnana</i> ([D. & S.]), <i>Aphelia</i>	300
<i>victorina</i> (Sodof.), <i>Helivictoria</i>	251, 255
<i>vinula</i> (L.), <i>Cerura</i>	63
<i>violacea</i> (Ström), <i>Coleophora</i>	296
<i>virgaureae</i> Staint., <i>Coleophora</i>	297
<i>viridana</i> L., <i>Tortrix</i>	139
<i>viridaria</i> (Cl.), <i>Phytometra</i>	93
<i>viriplaca</i> (Hufn.), <i>Heliothis</i>	33-34
<i>virulenta</i> Bae & Komai, <i>Lobesia</i>	109, 110
<i>virulenta</i> Bae & Komai	119
<i>viscosa</i> (Freyer), <i>Condica</i>	253, 255, 259, 312
<i>vitalbata</i> (ID. & S.), <i>Horisme</i>	77
<i>vitellina</i> (Hb.), <i>Mythimna</i>	98, 200
<i>vitrealis</i> (Rossi), <i>Palpita</i>	67, 69, 157, 191-192, 306

<i>vittata</i> (Woll.), <i>Blastobasis</i>	299
<i>wagae</i> (Nowicki), <i>Teleiodes</i>	296
<i>wauaria</i> (L.), <i>Macaria</i>	58
<i>weirana</i> (Doug1.), <i>Strophedra</i>	238, 304
<i>wolffiella</i> Karsholt & Nielsen, <i>Nemapogon</i>	238
<i>woodiella</i> Richards & Thomson, <i>Ephestia</i>	2, 4, 5, 305
<i>wullschlegeli</i> Püngeler, <i>Caradrina</i>	251, 255, 256
<i>xanthographa</i> (ID. & S.), <i>Xestia</i>	100
<i>xanthomelas</i> ([D. & S.]), <i>Nymphalis</i>	157, 167
<i>xenia</i> Hering, <i>Phyllocnistis</i>	291
<i>xylostella</i> (L.), <i>Plutella</i>	64, 158, 188, 189, 276, 292
<i>yeatiana</i> (Fabr.), <i>Agonopterix</i>	294
<i>ypsillon</i> (D. & S.), <i>Apterogenum</i>	57, 252, 257
<i>zelleri</i> (Joann.), <i>Aphomia</i>	5
<i>zelleri</i> (Joann.), <i>Lamoria</i>	5
<i>Zelotherses</i> Lederer	2, 5
<i>zinckenella</i> (Tr.), <i>Etiella</i>	4

HYMENOPTERA

<i>Biorhiza pallida</i> L.	110
<i>Choeras tedellae</i> (Nixon)	118
<i>Trichogramma</i> sp.	143

TRICHOPTERA

<i>Hydropsyche fulvipes</i> (Curtis)	26-31
<i>Beraea maurus</i> (Curtis)	210
<i>Hydropsyche exocellata</i> Dufour	26
<i>Hydropsyche instabilis</i> (Curtis)	26-31
<i>Hydropsyche saxonica</i> McLachlan	26, 27
<i>Leptocerus tineiformis</i> Curtis	209
<i>Limnephilus hirsutus</i> (Pictet)	210
<i>Limnephilus pati</i> O'Connor	209-215
<i>Lype phaeopa</i> (Stephens)	210
<i>Plectrocnemia geniculata</i> McLachlan	210