


THE
ENTOMOLOGIST'S RECORD
AND JOURNAL OF VARIATION

A publication of The Amateur Entomologists' Society



Contents and Special Index Volume 135 (2023)

Edited by C. W. Plant

ISSN 0013-8916

THE ENTOMOLOGIST'S RECORD

AND JOURNAL OF VARIATION

World List abbreviation: *Entomologist's Rec. J. Var.*

<http://www.entrecord.com>

Published by the Amateur Entomologists' Society
UK Registered Charity number 267430

Annual subscription for individual subscribers for 2023 is £30.
For institutional and overseas rates please visit the website at www.entrecord.com

Editor

C.W. PLANT, B.Sc., F.R.E.S., F.B.N.A.
14 West Road, Bishops Stortford, Hertfordshire CM23 3QP.
Telephone: 01279 507697 E-mail: colinwplant@gmail.com

Webmaster: Rob Edmunds B.Sc., M.A., F.R.E.S.

Proof Reader: Keith Palmer B.A.

Indexer: Mark A. Yeates F.L.S., F.R.E.S.

Who to contact

Material for publication, books for review, obituaries, advertisements – the Editor
ALL OTHER MATTERS (subscriptions, change of address, late or non-arrivals, back issues –
e-mail registrar@amentsoc.org or write to PO Box 8774, London SW7 5ZG

Back Issues

Volumes more than ten years old may be read at www.biodiversitylibrary.org/bibliography/8408

NOTICE TO BINDERS:

Pages 58(i) – 58(iii) of volume 135 were issued separately with part 3 of this current volume, as a single loose fold of four pages. These pages should be bound in between pages 58 and 59 of part 2.

Readers are respectfully advised that the publication of material in this journal does not imply that the views and opinions expressed therein are shared by the Editor or by the Amateur Entomologists' Society or by any party other than the named author or authors.

Guidelines for Contributors

The Editor welcomes contributions on British Isles Lepidoptera, on non-British Lepidoptera where likely to be of interest to British researchers and on other groups of British Insects for which specialist English language journals do not currently exist. We accept descriptions of new species. Other subject matter may be accepted entirely at the discretion of the Editor, whose decision is final.

Please follow the format in this issue; if in doubt, ask the Editor. We positively encourage the use of colour photographs of insects and their habitats but their inclusion must enhance the text or serve some other useful purpose. We encourage the use of colour in the interpretation of graphs, charts etc. All images must be sent as individual separate files; please send high resolution files – do not reduce file size for ease of e-mailing. Images embedded (pasted into) word processor files cannot be used.

All papers are subject to peer-review and may be returned for changes prior to acceptance. Shorter communications and Notes are normally reviewed by the Editor but may also be sent for external review before acceptance; to reduce both cost and delay required changes to these are usually made by the Editor.

We now issue pdf files in place of paper reprints. These are sent automatically to the first named author of Papers and Notes. Abstracts of Papers are published on our website.

Books for review must be sent to the Editor in the first instance. We do not normally accept unsolicited reviews by third parties.

The General Data Protection Regulation (GDPR)

It is the policy of this journal to include the name(s) and contact details of authors, as supplied to the Editor, as a part of their published contributions. Where the publication of an address is considered unacceptable, a "care of" address may be substituted by the author(s). Advertisements and other non scientific material submitted for publications are also subject to the GDPR and must adhere to the published AES policy.

CONTENTS

Compiled by Colin W. Plant & Andrew Smith

1: PEER-REVIEWED PAPERS

A

(The) autumn stage of *Monochroa conspersella* (Herrich-Schäffer, 1854) (Lep.: Gelechiidae) – a leaf miner of *Lysimachia vulgaris* (L.). *Rob Edmunds*, 244-248

B

Blastobasis glandulella (Riley, 1871) (Blastobasidae) new to the British Isles. *Peter J. Hodge*, 193-196

C

(The) Caddisfly *Setodes argentipunctellus* McLachlan, 1877 (Trichoptera: Leptoceridae) discovered in the West of Ireland. *Ruth Little, Hugh B. Feeley and James P. O'Connor*, 88-93

Clepsis peritana (Clemens, 1860) (Lep.: Tortricidae) new to the British Isles. *David W. Emley and Karl Stockton*, 218-220

Coleophora coronillae Zeller, 1849 (Coleophoridae), new to the British Isles. *Raymond A. Watson*, 185-189

D

Dialectica scalarielli (Zeller, 1850) (Lep.: Gracillariidae) at Dungeness, Kent: The first British breeding record. *William B. V. Langdon*, 6-18

E

Encounters with the colour forms of the Box-tree moth *Cydalima perspectalis* (Walker, 1859) (Lep.: Crambidae). *Laurence M. Cook and John Muggleton*, 83-87

F

First record of *Zimmermannia amani* Svensson (Lep.: Nepticulidae) in West Gloucestershire (VC34) and a review of UK records. *Seb Buckton*, 24-27

H

How to find the mines of *Phyllonorycter ulicicolella* (Stainton, 1851) (Lepidoptera: Gracillariidae). *William B. V. Langdon*, 49-58

I

(The) immigration of Lepidoptera to the British Isles in 2019. *Sean P. Clancy*, 137-182

L

Larval searches of the endangered macro-moth Least Minor *Photedes captiuncula* (Treitschke, 1825) (Lep.: Noctuidae) in the Morecambe Bay limestone area, Lancashire 2022. *Justine Patton*, 101-112

Lepidoptera recorded in Albania during two visits, 2009 and 2014. *Ken Bond*, 129-136

M

Microlepidoptera Review of 2022. *A. M. Davis and G. M. Tordoff*, 261-292

Monochroa niphognatha (Gozmány, 1953) (Lep.: Gelechiidae): discovery of the larva in the British Isles. *S. D. Beavan and R. J. Heckford*, 117-128

O

Observation on the stages of *Scythris inspersella* (Hübner, 1817) (Lep.: Scythrididae). *Rob Edmunds*, 211-214

Observations on the larva, pupa and cocoon of *Zelleria hepariella* Stainton, 1849 (Lep.: Yponomeutidae). *S. D. Beavan and R. J. Heckford*, 199-210

S

Significant morphological differences in the pupae of two similar *Melitaea* (*Mellicta*) species (Nymphalidae). *James A. Pateman and Peter J. C. Russell*, 94-96

Sixth update to *A Checklist of the Lepidoptera of the British Isles*, 2013 on account of subsequently published data. *David J. L. Agassiz, S. D. Beavan & R. J. Heckford*, 1-5
Some micro-Lepidoptera new to Berkshire (VC22) with notes on their status and identification. *Finley N. Hutchinson*, 73-82

T

Tachystola mulliganae sp. nov. (Lep.: Oecophoridae), a Western Australian species adventive in West London. *Mark J. Sterling, Colin W. Plant, Ben W. Price, Piotr Cuber, Andie Hall, Jordan Beasley and David C. Lees*, 225-243

The autumn stage of *Monochroa conspersella* (Herrich-Schäffer, 1854) (Lep.: Gelechiidae) – a leaf miner of *Lysimachia vulgaris* (L.). *Rob Edmunds*, 244-248

The immigration of Lepidoptera to the British Isles in 2019. *Sean P. Clancy*, 137-182

2: NOTES

A

A Grey Mountain Carpet *Entephria caesiata* (D. & S.) (Geometridae) recorded in Huntingdonshire. *Barry Dickerson & Elliott Cornelius*, 19

A previously unrecorded foodplant for Light Brown Apple Moth *Epiphyas postvittana* (Tortricidae). *Chris Manley*, 39-40

B

Biology of *Monochroa cystisella* (Curtis, 1837) (Lep.: Gelechiidae) in Bracken *Pteridium aquilinum* in southern Scotland. *K. P. Bland*, 249-250

C

Caloptilia hauderi (Rebel, 1906) (Lep.: Gracillariidae): Another spreading *Acer*-feeding species that may be in Britain? *Tim Green*, 59-62

Caloptilia honoratella (Rebel, 1914) (Lep.: Gracillariidae) recorded in Yorkshire with comments on the occurrence of *Caloptilia semifascia* (Haworth, 1828). *Harry E. Beaumont & Charles H. Fletcher*, 20-21

Celypha lacumana ([D. & S.], 1775) (Tortricidae): A confusion species for *Phycitodes maritima* (Tengström, 1848) (Pyralidae). *Rob Edmunds*, 197-198

Changes in adult phenology of Treble Brown Spot *Idaea trigeminata* Haw. (Lep.: Geometridae) in south-east England. *Colin W. Plant and Les J. Evans-Hill* 251-253

Common Rustic *Mesapamea secalis* (L., 1758) and Lesser Common Rustic *M. didyma* (Esper, 1788) (Lep.: Noctuidae) ratio in Scotland. *Roy Leverton*, 115-116

D

Dichelia histrionana (Frölich, 1828) (Lep.: Tortricidae) new to Scotland. *Peter Hall*, 67-69

Dichelia histrionana (Frölich, 1828) (Tortricidae) update. *Peter Hall*, 189

Discovery of a female *Linnephilus pati* O'Connor (Trich.: Linnephilidae) in Scotland. *Robin D. Sutton, Ian D. Wallace and James P. O'Connor*, 191-192

Discovery of the larva of *Rhopobota stagnana* ([Denis & Schiffermüller], 1775) (Lep.: Tortricidae) feeding on *Knautia arvensis* (L.) Coult. in the British Isles. *S. D. Beavan and R. J. Heckford*, 113-114

E

Evasive reaction to a digital camera by nectaring *Autographa* (Lep.: Noctuidae) species. *Roy Leverton*, 37-39

Extinction, rarity and legislation: Dusky Clearwing *Paranthrene tabaniformis* (Rottemburg) versus Fieri Clearwing *Pyropteron chrysidiformis* (Esper). *Colin W. Plant*, 182-184

F

Field notes and observations regarding the use of Hemlock *Conium maculatum* L. as host-plant by *Papilio machaon* L. (Lep.: Papilionidae) in the River Yare valley, Norfolk, 2021 – 2022. *Kevin Radley and Hannah Breach*, 69-72

First records of *Coleophora lassella* Svensson (Lep.: Coleophoridae) in Gloucestershire. *Seb Buckton*, 97
First record of *Caloptilia honoratella* (Lep.: Gracillariidae) for Gloucestershire. *Seb Buckton*, 63
First record of the Fig-leaf Skeletonizer *Choreutis nemorana* Hübner, 1799 (Choreutidae) from East Sussex.
Keith A. Palmer, 190-191

G

Glyphodes caesalis (Walker, 1859) Crambidae and *Paysandisia archon* (Burmeister, 1880) Castniidae: Two unexpectedly adventive moths in the London area. *Colin W. Plant*, 215-217

L

Lyonetia prunifoliella (Hübner) (Lep.: Lyonetiidae) new to Wales. *Melissa G. Banthorpe*, 32-33

N

Naming moths from photographs: An editorial comment. *Colin W. Plant*, 20

O

Occurrence of *Euproctis chrysoorrhoea* (L., 1758) (Lep.: Erebidae, Lymantrinae), *Mimas tiliae* (L., 1758) (Lep.: Sphingidae) and *Subacronicta megacephala* (D. & S.), 1775) (Lep.: Noctuidae) in south-east Scotland. *K. P. Bland*, 253

Olive *Olea europaea* – a surprising new larval foodplant for the Coronet moth *Craniophora ligustri* (D.& S., 1775) (Lep.: Noctuidae). *Barry P. Warrington*, 221

P

Phillyrea latifolia – a potential new host plant in Britain for *Caloptilia cuculipennella* (Hb., 1796) (Lep.: Gracillariidae). *Melissa G. Banthorpe*, 250-251

Predation of late larval-instars of *Papilio machaon* L. (Lep.: Papilionidae) by arthropods. *Kevin Radley & Hannah Breach*, 22-23

R

Recent records of *Caloptilia hemidactylella* ([Denis & Schiffermüller], 1775) and further recent records of *Caloptilia honoratella* (Rebel, 1914) from Norfolk. *Jim Wheeler, Jon Clifton and James Lowen*, 64-67

S

Selania leplastriana (Curtis) (Lep.: Tortricidae) breeding in Wales. *George Tordoff*, 28-30

Solanum laciniatum Aiton, Hort. Kew: A previously unrecorded foodplant of *Acrolepia autumnitella* (Curtis, 1838) (Lep.: Glyphipterigidae). *P. J. Barden*, 253-255

T

The caddisfly *Oxyethira tristella* Klapálek, 1895 (Trichoptera: Hydroptilidae) new to the east of Ireland. *James P. O'Connor & Mary A. O'Connor*, 30-32

The Four-spotted Moth *Tyta luctuosa* (D.&S.) and other day-flying Lepidoptera at Werrington Brook Drain, Peterborough in 2022. *Paul Waring*, 97-100

Two bee or not two bee? *Roy Leverton*, 34-35

The curious case of the Small Mottled Willow *Spodoptera exigua* (Hübner, [1808]) (Lep.: Noctuidae) trapped inside a Bell Pepper *Capsicum annuum* Linnaeus fruit. *Martin Townsend*, 35-36

W

Whatever happened to *Caloptilia alchimiella*? *Colin W. Plant*, 63-64

3: BOOK REVIEWS

Insectpedia: A brief compendium of insect lore by Eric R. Eaton, 46-47

The lives of moths. A natural history of our planet's moth life by Andrei Sourakov & Rachel Warren Cloud, 47

Animals under logs and stones, by C. Philip Wheatear, Helen J. Read & Charlotte E. Wheatear, 222

Hymenoptera. The Natural History & Diversity of Wasps, Bees & Ants, by Stephen A. Marshall, 223

What a bee knows. Exploring the thoughts, memories and personalities of bees, by Stephen Buchmann, 223

The lives of beetles. A natural history of Coleoptera, by Arthur V. Evans, 224

Ants. A visual guide, by Heather Campbell & Benjamin Blanchard, 224

Pyralid and Crambid Moths of Britain and Ireland, by Mark Parsons & Sean Clancy, 255-257

Moths of Europe. Volume 7. Microlepidoptera 1: Micropterigidae to Tortricidae, by Patrice Leraut, 257-258

Southern African Moths and their Caterpillars, by Hermann Staude, Mike Picker & Charles Griffiths, 258-259

The Jewel Box: How moths illuminate nature's hidden rules, by Tim Blackburn, 259

Beetles of the World: A Natural History, by Maxwell V. Barclay & Patrice Bouchard, 259

The Lives of Butterflies: A natural history of our Planet's butterfly life, by David G. James & David J. Lohman, 260

4. ANNOUNCEMENTS

British leafminers. *Rob Edmunds*, 41

Editor's Note: Adonis Blue butterfly *Polyommatus bellargus*. *Colin W. Plant*, 46

Proof reader required. *Colin W. Plant*, 48

Micromoths of Albania. *Colin W. Plant*, 100

5. OBITUARIES

David Victor Manning, 42-45

6: CORRECTIONS

Corrigenda, 260

7: CONTRIBUTORS

Page number entries **in bold** refer to peer-reviewed papers; entries in ordinary type refer to Notes and other communications that have been refereed internally by the Editor and his colleagues. Where an author is not the first named of multiple authors, page number entry is printed in *italic type*.

Agassiz, David J. L.	1-5	Langdon, William B. V.	6-18, 49-58
Banthorpe, Melissa G.	250-251	Lees, David C.	225-243
Barden, P. J.	253-255	Leverton, Roy	34-35, 37-39, 115-116
Beasley, Jordan	225-243	Little, Ruth	88-93
Beaumont, Harry E.	20-21	Lowen, James	64-67
Beavan, S. D.	<i>1-5</i> , 113-114, 117-128, 199-210	Manley, Chris	39-40
Bland, K. P.	249-250, 253	Muggleton, John	83-87
Bond, Ken	129-136	O'Connor, James P.	30-32, 88-93 , 191-192
Breach, Hannah	22-23, 69-72	O'Connor, Mary A.	30-32
Buckton, Seb.	24-27 , 63, 97	Palmer, Keith A.	190-191
Clancy, Sean P.	137-182	Pateman, James A.	94-96
Clifton, Jon	64-67	Patton, Justine	101-112
Cook, Laurence M.	83-87	Plant, Colin W.	20, 63-64, 182-184, 215-217, 225-243 , 251-253
Cornelius, Elliott	19	Price, Ben W.	225-243
Cuber, Piotr	225-243	Radley, Kevin	22-23, 69-72
Davis, A. M.	261-292	Russell, Peter J. C.	94-96
Dickerson, Barry	19	Sterling, Mark J.	225-243
Edmunds, Rob	197-198, 211-214, 244-248	Stockton, Karl	218-220
Emley, David W.	218-220	Sutton, Robin D.	191-192
Evans-Hill, Les J.	251-253	Tordoff, G. M.	28-30, 261-292
Feeley, Hugh B.	88-93	Townsend, Martin	35-36
Fletcher, Charles H.	20-21	Wallace, Ian D.	191-192
Green, Tim,	59-62	Waring, Paul	97-100
Hall, Andie	225-243	Warrington, Barry P.	221
Hall, Peter	67-69, 189	Wheeler, Jim	64-67
Heckford, R. J.	<i>1-5</i> , <i>113-114</i> , 117-128, 199-210		
Hutchinson, Finley N.	73-82		

SPECIAL INDEX

Compiled by Mark Yeates

Newly described taxa are indicated in **bold** type.

Taxa new to, or newly recognised in, the British Isles and mentioned first in this volume are indicated by an asterisk*.

	Page		Page
LEPIDOPTERA			
<i>abbreviana</i> (Fabr.), <i>Epinotia</i>	26, 282	<i>angustea</i> (Curtis), <i>Eudonia</i>	290
<i>abietaria</i> (Goeze), <i>Eupithecia</i>	152	<i>angustella</i> (Hübner), <i>Nephoterix</i>	285
<i>absoluta</i> (Meyr.), <i>Tuta</i>	80, 140, 275	<i>angustiorana</i> (Haw.), <i>Ditula</i>	280
<i>aceris</i> (Frey), <i>Stigmella</i>	263	<i>anthemidella</i> (Wocke), <i>Isophrictis</i>	1
<i>acetosae</i> (Staint.), <i>Enteucha</i>	41 (photo), 263	<i>antiopa</i> (Linn.), <i>Nymphalis</i>	142
<i>achatana</i> ([D. & S.]), <i>Ancylis</i>	132, 289	<i>Apotomis</i> sp.	79
<i>acroxantha</i> (Meyr.), <i>Tachystola</i>	225, 229, 230, 232, 235, 236, 237 (photo), 238 (photo), 239, 242, 273	<i>archon</i> (Burmeister), <i>Paysandisia</i>	215, 216, 216 (photo), 217
<i>acteon</i> (Rott.), <i>Thymelicus</i>	134	<i>argiolus</i> (Linn.), <i>Celastrina</i>	134, 190
<i>adjectella</i> H.-S., <i>Coleophora</i>	290	<i>argus</i> (Linn.), <i>Plebejus</i>	134
<i>adjunctella</i> Hodgkinson, <i>Coleophora</i>	277	<i>argyran</i> (Hübner), <i>Pammene</i>	284
<i>adscitella</i> Staint., <i>Elachista</i>	105	<i>Argyresthia</i> sp.	200
<i>adustella</i> Wals., <i>Blastobasis</i>	232, 279	<i>armigera</i> (Hübner), <i>Helicoverpa</i>	174, 175
<i>aegeria</i> (Linn.), <i>Pararge</i>	99, 135	<i>armoricanus</i> (Oberth.), <i>Pyrgus</i>	134
<i>aeneana</i> (Hübner), <i>Commophila</i>	99, 99, 281	<i>artemiscolella</i> Bruand, <i>Coleophora</i>	277
<i>aeneofasciella</i> (H.-S.), <i>Stigmella</i>	264	<i>asbolaea</i> (Meyr.), <i>Barea</i>	273
<i>aequidentellus</i> (Hofm.), <i>Epermenia</i>	279	<i>asinalis</i> (Hübner), <i>Mecyna</i>	287
<i>aestimaria</i> (Hübner), <i>Chiasmia</i>	152	<i>asseclana</i> ([D. & S.]), <i>Cnephasia</i>	132, 280
<i>affinis</i> (Haw.), <i>Bryotropha</i>	288	<i>assectella</i> (Zell.), <i>Acrolepiopsis</i>	139, 271
<i>affinis</i> (Linn.), <i>Cosmia</i>	26	<i>assimilella</i> (Zell.), <i>Stigmella</i>	32, 264
<i>agestis</i> ([D. & S.]), <i>Aricia</i>	99, 134	<i>asteris</i> Mühligg, <i>Coleophora</i>	277
<i>aglaja</i> (Linn.), <i>Argynnis</i>	142	<i>atalanta</i> (Linn.), <i>Vanessa</i>	99, 135, 165
<i>agnotana</i> Rebel, <i>Pammene</i>	284	<i>atomaria</i> (Linn.), <i>Ematurga</i>	99
<i>agrimoniae</i> (Frey), <i>Ectoedemia</i>	256	<i>atricapitella</i> (Haw.), <i>Stigmella</i>	290
<i>albedinella</i> (Zell.), <i>Bucculatrix</i>	268	<i>atricomella</i> Staint., <i>Elachista</i>	278
<i>albiceps</i> (Zell.), <i>Parachronistis</i>	276	<i>atrifrontella</i> (Staint.), <i>Zimmermannia</i>	256
<i>albifasciella</i> (Hein.), <i>Ectoedemia</i>	256	<i>atriplicella</i> (F.v.R.), <i>Scrobipalpa</i>	275
<i>albipuncta</i> ([D. & S.]), <i>Mythimna</i>	161	<i>atriplicis</i> Meyrick, <i>Coleophora</i>	277
<i>albistria</i> (Haw.), <i>Argyresthia</i>	272	<i>atriplicis</i> (Linn.), <i>Trachea</i>	159
<i>albitarsella</i> Zell., <i>Coleophora</i>	276	<i>atropos</i> (Linn.), <i>Acherontia</i>	148, 149
<i>albuginana</i> (Guenée), <i>Pammene</i>	284	<i>aurana</i> (Fabr.), <i>Pammene</i>	285
<i>alceae</i> (Esp.), <i>Carcharodus</i>	133	<i>aurata</i> (Scop.), <i>Pyrausta</i>	133
<i>alchimiella</i> (Scop.), <i>Caloptilia</i>	63, 64, 269	<i>aurelia</i> Nickerl, <i>Melitaea</i> ...94, 95, 95 (photo), 96	
<i>algira</i> (Linn.), <i>Dysgonia</i>	156	<i>auriciliella</i> (Joannis), <i>Bohemannia</i>	256
<i>alifoliae</i> Barasch, <i>Coleophora</i>	276	<i>aurita</i> Razowski, <i>Pammene</i>	284
<i>alpina</i> (Curtis), <i>Eudonia</i>	287, 290	<i>aurofasciana</i> (Haw.), <i>Celypha</i>	2, 281
<i>alpinana</i> (Treits.), <i>Dichrorampha</i>	283	<i>auroguttella</i> Steph., <i>Euspilapteryx</i>	269
<i>alternella</i> ([D. & S.]), <i>Tortricodes</i>	280	<i>auromarginella</i> (Richardson), <i>Stigmella</i>	264
<i>amandus</i> (Schneider), <i>Polyommatus</i>	134	<i>Autographa</i> sp.	37, 38
<i>amani</i> Svens., <i>Zimmermannia</i>	24, 24 (photo), 25, 25 (dist map), 26, 27, 256	<i>autumnitella</i> Curtis, <i>Acrolepia</i>	253-255, 255 (photo), 290
<i>amplana</i> (Hübner), <i>Cydia</i>	164, 165, 289	<i>azaleella</i> (Brants), <i>Caloptilia</i>	269
<i>anachoreta</i> ([D. & S.]), <i>Clostera</i>	153	<i>badiella</i> (Hübner), <i>Depressaria</i>	273
<i>Anchoscelis</i>	5	<i>badiipennella</i> (Dup.), <i>Coleophora</i>	276
<i>ancipitella</i> (La Harpe),.....	<i>Scoparia</i> 287	<i>baeteolella</i> (F.v.R.), <i>Tinagma</i>	16
<i>angelicella</i> (Hübner),.....	<i>Agonopterix</i> 273	<i>bankiana</i> (Fabr.), <i>Deltote</i>	158
<i>angulifasciella</i> (Staint.), <i>Ectoedemia</i>	256	<i>basaltinella</i> (Zell.), <i>Bryotropha</i>	274
		<i>beatricella</i> (Wals.), <i>Aethes</i>	281
		<i>bechsteinella</i> (B. & S.), <i>Bucculatrix</i>	268

<i>bellargus</i> (Rott.), <i>Polyommatus</i>	46
<i>bennetii</i> (Curtis), <i>Agdistis</i>	279
<i>berbera</i> Rungs, <i>Amphipyra</i>	2, 3
<i>berbera svenssoni</i> Fletch., <i>Amphipyra</i>	2, 3
<i>betulicola</i> (Staint.), <i>Stigmella</i>	263
<i>betulinella</i> (Paykull), <i>Nemaxera</i>	289
<i>bicolorata</i> (Hufn.), <i>Hecatera</i>	136
<i>bicuris</i> (Hufn.), <i>Hadena</i>	39
<i>bifractella</i> (Dup.), <i>Apodia</i>	3
<i>bigramma</i> (Esp.), <i>Agrotis</i>	6, 162
<i>bipunctella</i> (Fabr.), <i>Ethmia</i>	6, 16, 139, 273
<i>bistrigella</i> (Haw.), <i>Cryptoblabes</i>	285
<i>bistrigella</i> (Haw.), <i>Phylloporia</i>	266
<i>bisulcella</i> (Dup.), <i>Elachista</i>	278
<i>biviella</i> (Zell.), <i>Vitula</i>	286
<i>Blastobasis</i> sp.....	193
<i>boeticus</i> (Linn.), <i>Lampides</i>	134, 137, 142, 166, 167, 178
<i>boisduvaliella</i> (Guenée), <i>Pima</i>	285
<i>bractea</i> [D. & S.], <i>Autographa</i>	38 (photo)
<i>bradleyi</i> Riedl, <i>Mompha</i>	77, 78, 279
<i>brassicae</i> (Linn.), <i>Pieris</i>	99, 134
<i>britomartis</i> Assmann, <i>Melitaea</i>	94, 95, 95 (photo), 96
<i>brongniardella</i> (Fabr.), <i>Acrocercops</i>	269
<i>brunnichana</i> (Linn.), <i>Epinotia</i>	282
<i>buoliana</i> [D. & S.], <i>Rhyacionia</i>	283
<i>caesalis</i> (Walk.), <i>Glyphodes</i>	215, 216, 216 (photo)
<i>caesiata</i> [D. & S.], <i>Entephria</i>	260
<i>caesiella</i> (Hübner), <i>Swammerdamia</i>	271
<i>caespitiella</i> Zell., <i>Coleophora</i>	277
<i>c-album</i> (Linn.), <i>Polygonia</i>	135
<i>Caloptilia</i> sp.....	20, 21, 60, 62, 63, 73
<i>calthella</i> (Linn.), <i>Micropterix</i>	105
<i>cambrica</i> Curtis, <i>Venusia</i>	20
<i>campolitana</i> [D. & S.], <i>Eucosma</i>	283
<i>candidula</i> [D. & S.], <i>Pseudeustrotia</i>	137, 159
<i>candiellus</i> (H.-S.), <i>Mesocrambus</i>	133
<i>caniola</i> (Hübner), <i>Eilema</i>	154
<i>capreana</i> (Hübner), <i>Apotomis</i>	79
<i>capreolaria</i> [D. & S.], <i>Pungeleria</i>	152
<i>caprimulgella</i> (Staint.), <i>Triaxomasia</i>	267
<i>captans</i> Gozmány, <i>Infurcitienea</i>	267
<i>captiuncula</i> (Treits.), <i>Photedes</i>	101, 102, 102 (dist map), 104-107, 107 (photo), 108, 108 (photo), 109, 109 (photo), 110, 110 (photo), 111, 112
<i>captiuncula</i> ssp. <i>expolita</i> (Treits.), <i>Photedes</i>	101
<i>captiuncula</i> ssp. <i>tincta</i> (Treits.), <i>Photedes</i>	101
<i>caractellus</i> (Zell.), <i>Metacrambus</i>	133
<i>caradjai</i> Popescu-Gorg & Căpușe, <i>Oegoconia</i>	76, 77
<i>cararia</i> (Hübner), <i>Stegania</i>	152
<i>cardui</i> (Linn.), <i>Vanessa</i>	99, 135, 165, 166
<i>carniolica</i> (Scop.), <i>Zygaena</i>	132
<i>carpinella</i> (Frey), <i>Phyllonorycter</i>	74
<i>carpinella</i> (Frey), <i>Parornix</i>	74
<i>casta</i> (Pall.), <i>Psyche</i>	267
<i>catalaunalis</i> (Dup.), <i>Antigastra</i>	131, 133, 146
<i>cathartica</i> (Staint.), <i>Stigmella</i>	263
<i>cautella</i> (Walk.), <i>Cadra</i>	286
<i>ceratoniae</i> (Zell.), <i>Apomyeloides</i>	286
<i>cespitana</i> (Hübner), <i>Celypha</i>	289
<i>chalcites</i> (Esp.), <i>Chrysodeixis</i>	136, 157
<i>choragella</i> [D. & S.], <i>Morphaga</i>	267
<i>chrysidiformis</i> (Esp.), <i>Pyropteron</i>	182, 184
<i>chrysitis</i> (Linn.), <i>Diachrysia</i>	38
<i>chrysorrhoea</i> (Linn.), <i>Euproctis</i>	253
<i>cicatricella</i> (Hübner), <i>Thopeutis</i>	147
<i>cilium</i> Guenée, <i>Spodoptera</i>	159
<i>cinereana</i> (Haw.), <i>Epinotia</i>	282, 289
<i>cingulata</i> (Linn.), <i>Pyrausta</i>	286
<i>cinnamomeana</i> (Treits.), <i>Pandemis</i>	280
<i>circe</i> (Fabr.), <i>Brintesia</i>	135
<i>circumvoluta</i> (Geoffr.), <i>Myeloides</i>	133, 286
<i>citrana</i> (Hübner), <i>Thiodia</i>	132
<i>citri</i> (Mill.), <i>Prays</i>	272
<i>clathrata</i> (Linn.), <i>Chiasmia</i>	152
<i>clerkella</i> (Linn.), <i>Lyonetia</i>	76, 272
<i>Cnephasia</i> sp.....	78
<i>cochylionides</i> (Guenée), <i>Eublemma</i>	1
<i>Coleophora</i> sp.....	97, 185, 187, 188
<i>columbariella</i> Wocke, <i>Tinea</i>	267
<i>comparella</i> (Dup.), <i>Phyllonorycter</i>	270
<i>complana</i> (Linn.), <i>Eilema</i>	136
<i>convosita</i> (Fabr.), <i>Grapholita</i>	283
<i>confusa</i> (Steph.), <i>Macdunnoughia</i>	157, 158
<i>confusella</i> Berggren et al., <i>Batrachedra</i>	1, 77, 260, 276
<i>consimilana</i> (Hübner), <i>Clepsis</i>	220, 280
<i>consortella</i> Staint., <i>Elachista</i>	278
<i>conspersella</i> (H.-S.), <i>Monochroa</i>	244, 245, 245 (photo), 246, 246 (photo), 247, 247 (photo), 248, 248 (photo)
<i>conspurcatella</i> (Zell.), <i>Bankesia</i>	267
<i>continuella</i> (Staint.), <i>Stigmella</i>	264
<i>conturbatella</i> (Hübner), <i>Mompha</i>	211
<i>convolvuli</i> (Linn.), <i>Agrius</i>	168, 169
<i>Corcyra</i>	2, 3
<i>coronata</i> (Hufn.), <i>Anania</i>	287
<i>coronillae</i> Zell.*, <i>Coleophora</i>	185, 185 (photo), 186, 186 (photo), 187, 187 (photo), 188, 189
<i>coryli</i> (Nic.), <i>Phyllonorycter</i>	270
<i>corylifoliella</i> (Hübner), <i>Phyllonorycter</i>	129, 131, 132
<i>cosmophorana</i> (Treits.), <i>Cydia</i>	283
<i>costalis</i> (Fabr.), <i>Hypsopygia</i>	133
<i>costella</i> (Hump. & Westw.), <i>Scrobipalpa</i>	275
<i>costipunctana</i> (Haw.), <i>Epiblema</i>	283
<i>crassiflavella</i> Braund, <i>Cephimallota</i>	1
<i>crataegella</i> (Klim.), <i>Stigmella</i>	264
<i>crataegi</i> (Linn.), <i>Aporia</i>	134
<i>craterella</i> (Scop.), <i>Chrysocrambus</i>	133
<i>crenata</i> (Esp.), <i>Gluphisia</i>	137, 153
<i>cribraria</i> (Hübner), <i>Orthostixis</i>	135

<i>cribraria</i> (Linn.), <i>Coscinia</i>	153
<i>crocealis</i> (Hübner), <i>Anania</i>	287
<i>crocea</i> (Geoffr.), <i>Colias</i>	134, 165
<i>crociapitella</i> (Clemens), <i>Monopis</i>	268
<i>cryptella</i> (Staint.), <i>Trifurcula</i>	288
<i>culcipennella</i> (Hübner), <i>Caloptilia</i>	250,
250 (photo), 251	
<i>culcullatella</i> (Linn.), <i>Nola</i>	136
<i>culmella</i> (Linn.), <i>Chrysoteuchia</i>	105
<i>cuprella</i> ([D. & S.]), <i>Adela</i>	266
<i>cupressella</i> Wals., <i>Argyresthia</i>	272, 290
<i>curvatula</i> (Borkh.), <i>Drepana</i>	148
<i>cystisella</i> (Curtis), <i>Monochroa</i>	
[as <i>cystisella</i>]...249, 249 (photo), 250, 251, 274	
<i>deauratella</i> (H.-S.), <i>Oegoconia</i>	76
<i>decentella</i> (H.-S.), <i>Etainia</i>	256
<i>delunella</i> (Staint.), <i>Eudonia</i>147, 178, 185, 288	
<i>demaryella</i> (Dup.), <i>Bucculatrix</i>	268
<i>dentalis</i> ([D. & S.]), <i>Cynaeda</i>	13, 16
<i>denticulella</i> (Thunb.), <i>Callisto</i>	269
<i>desertella</i> (Douglas), <i>Bryotropha</i>	274
<i>deshaisiana</i> (Lucas), <i>Cydia</i>	283
<i>deversaria</i> (H.-S.), <i>Idaea</i>	136
<i>deviella</i> Zell., <i>Coleophora</i>	277
<i>devoniella</i> (Staint.), <i>Parornix</i>	269
<i>dia</i> (Linn.), <i>Boloria</i>	135
<i>dicommatias</i> (Meyr.), <i>Simacauda</i>	261, 266
<i>didyma</i> (Esp.), <i>Mesapamea</i>	115, 116
<i>didyma</i> (Esp.), <i>Melitaea</i>	135
<i>diffinis</i> (Haw.), <i>Teleiopsis</i>	276
<i>dilutaria</i> (Hübner), <i>Idaea</i>	136
<i>dilutella</i> ([D. & S.]), <i>Delplanqueia</i>	285
<i>diminutana</i> (Haw.), <i>Ancylis</i>	282
<i>Dioryctria</i> sp.	256
<i>dispar</i> (Linn.), <i>Lymantria</i>	153
<i>distans</i> (Zell.), <i>Crombrugghia</i>	133
<i>distinctata</i> (H.-S.), <i>Aleucis</i>	2
<i>distinctella</i> (Zell.), <i>Chionodes</i>	275
<i>divisella</i> H.-S., <i>Mompha</i>	77, 78
<i>dodecella</i> (Linn.), <i>Exoteleia</i>	276
<i>dodonaea</i> Staint., <i>Tischeria</i>	266
<i>dominula</i> (Linn.), <i>Callimorpha</i>	153
<i>dubiella</i> Staint., <i>Tinea</i>	267
<i>dubitana</i> (Hübner), <i>Neocochylis</i>	281
<i>dubitella</i> (H.-S.), <i>Phyllonorycter</i>	270
<i>duplicana</i> (Zett.), <i>Cydia</i>	132
<i>eburnella</i> ([D. & S.]), <i>Mirificarma</i>	132
<i>Ectoedemia</i> sp.	25
<i>edusa</i> (Fabr.), <i>Pontia</i>	134
<i>effractella</i> Zell., <i>Eccopisa</i>	185, 256
<i>egea</i> (Cramer), <i>Polygonia</i>	135
<i>egenaria</i> H.-S., <i>Eupithecia</i>	2
<i>egregialis</i> (H.-S.), <i>Loryma</i>	1, 261, 286
<i>Eilema</i> spp.	2
<i>ekebladella</i> (Bjerkander), <i>Tischeria</i>	131
<i>electa</i> (View.), <i>Catocala</i>	156
<i>elpenor</i> (Linn.), <i>Deilephila</i>	34, 35, 37
<i>elutella</i> (Hübner), <i>Ephestia</i>	286
<i>emberizaepenella</i> (Bouché), <i>Phyllonorycter</i>	270
<i>ephemerella</i> ([D. & S.]), <i>Acentria</i>	288
<i>epilobiella</i> ([D. & S.]), <i>Mompha</i>	279
<i>erminea</i> (Esp.), <i>Cerura</i>	137, 153
<i>erxebella</i> (Fabr.), <i>Roeslerstammia</i>	268
<i>erythrocephala</i> ([D. & S.]), <i>Conistra</i>	160
<i>esperella</i> (Goeze), <i>Phyllonorycter</i>	74, 270
<i>euphorbiae</i> (Linn.), <i>Hyles</i>	149
<i>exigua</i> (Hübner), <i>Spodoptera</i> ...35, 36 (photo), 175	
<i>exsiccata</i> (Led.), <i>Tathorhynchus</i>	154
<i>exoleta</i> (Linn.), <i>Xylena</i>	160
<i>extimalis</i> (Scop.), <i>Evergestis</i>	146, 287
<i>extrema</i> (Hübner), <i>Photedes</i>	159, 185
<i>fagivora</i> (Frey), <i>Parornix</i>	74
<i>falconipennella</i> f. <i>oneratella</i> (Hübner),	
<i>Caloptilia</i>	73
<i>falsella</i> ([D. & S.]), <i>Catoptria</i>	133
<i>fasciana</i> (Linn.), <i>Pammene</i>	284
<i>fasciella</i> (Fabr.), <i>Nemophora</i>	266
<i>fasciuncula</i> (Haw.), <i>Olga</i>	105
<i>fenestratella</i> (Heyd.), <i>Monopis</i>	268
<i>ferrugalis</i> (Hübner), <i>Udea</i>	163, 167, 287, 290
<i>ferrugata</i> (Clerck), <i>Xanthorhoe</i>	64
<i>festucae</i> (Linn.), <i>Plusia</i>	38
<i>filicivora</i> (Meyr.), <i>Psychoides</i>	268
<i>filipendulae</i> (Linn.), <i>Zygaena</i>	99
<i>filipendulae</i> (Wocke), <i>Stigmella</i>	264
<i>finitimella</i> (Zell.), <i>Parornix</i>	290
<i>flammea</i> (Esp.), <i>Trigonophora</i>	160
<i>flammea</i> (Curtis), <i>Senta</i>	161
<i>flammealis</i> ([D. & S.]), <i>Endotricha</i>	286
<i>flavalis</i> ([D. & S.]), <i>Mecyna</i>	287
<i>flavicaput</i> (Haw.), <i>Spuleria</i>	278
<i>flavicinctata</i> (Hübner), <i>Entephria</i>	19, 20, 260
<i>flaviella</i> Zell., <i>Coleophora</i>	186 (photo),
187 (photo), 188	
<i>formosana</i> (Scop.), <i>Enarmonia</i>	282
<i>forsskalleana</i> (Linn.), <i>Acleris</i>	290
<i>forsterella</i> (Fabr.), <i>Glyphipterix</i>	271
<i>fovealis</i> Zell., <i>Duponchelia</i>	146
<i>fraxini</i> (Linn.), <i>Catocala</i>	155, 156
<i>freyerella</i> (Hübner), <i>Elachista</i>	278
<i>friesei</i> Svens., <i>Ocnerosstoma</i>	271
<i>froelichiella</i> (Zell.), <i>Phyllonorycter</i>	270
<i>fugitivella</i> (Zell.), <i>Carpatolechia</i>	26, 276, 289
<i>fuliginaria</i> (Linn.), <i>Parascotia</i>	154
<i>fulvana</i> Steph., <i>Eucosma</i>	283
<i>fulvimitrella</i> (Sodoffsky), <i>Triaxomera</i>	267
<i>fumatella</i> (Douglas), <i>Chionodes</i>	275
<i>funebrana</i> Treits., <i>Grapholita</i>	80
<i>funesta</i> (Esp.), <i>Aedia</i>	158
<i>fuscata</i> (Tengst.), <i>Lampronia</i>	266
<i>fuscescens</i> (Haw.), <i>Borkhausenia</i>	272
<i>fuscovenosa</i> (Goeze), <i>Idaea</i>	136
<i>galathea</i> (Linn.), <i>Melanargia</i>	135
<i>gallicana</i> (Guenée), <i>Pammene</i>	285

<i>gallii</i> (Rott.), <i>Hyles</i>	137, 149, 150, 151
<i>gamma</i> (Linn.), <i>Autographa</i>	37, 37 (photo), 136, 163, 173
<i>geminana</i> (Don.), <i>Ancylis</i>	282
<i>gemmella</i> (Linn.), <i>Stenolechia</i>	276
<i>genistae</i> Staint., <i>Coleophora</i>	277
<i>genistella</i> (Dup.), <i>Pempelia</i>	285, 289
<i>genitalana</i> P.&M., <i>Cnephasia</i>	78, 79, 280
<i>giganteana</i> (Pey.), <i>Pammene</i>	284
<i>gilvago</i> ([D. & S.]), <i>Cirrhia</i>	160
<i>gilvata</i> (Linn.), <i>Uresphita</i>	287
<i>glabratella</i> (Zell.), <i>Argyresthia</i>	271
<i>glandulella</i> (Riley)*, <i>Blastobasis</i>	193, 193 (photo), 194-196
<i>glaucicolella</i> Wood, <i>Coleophora</i>	277
<i>glaucinalis</i> (Linn.), <i>Hypsopygia</i>	286, 290
<i>glaucinea</i> Zell., <i>Argyresthia</i>	272
<i>glyphica</i> (Linn.), <i>Euclidia</i>	99
<i>Glyphodes</i> sp.	217
Gracillariidae	6
<i>grandis</i> (Desvignes), <i>Schiffermuelleria</i>	272
<i>granitana</i> (H.-S.), <i>Epinotia</i>	282
<i>graphana</i> (Treits.), <i>Epiblema</i>	1, 261, 283
<i>grotiana</i> (Fabr.), <i>Epagoge</i>	220, 280
<i>hamana</i> (Linn.), <i>Agapeta</i>	289
<i>hammoniella</i> Sorh., <i>Heliozela</i>	266
<i>hauderi</i> (Rebel), <i>Caloptilia</i>	59, 59 (photo), 60, 60 (photo), 61, 61 (photo), 62, 62 (photo)
<i>hauderi</i> (Rebel), <i>Calybites</i>	59, 60
<i>hellerella</i> (Dup.), <i>Blastodacna</i>	278
<i>hemidactylella</i> ([D. & S.]), <i>Caloptilia</i>	20, 60, 62, 64, 65, 65 (photo), 66, 66 (dist map), 66 (photo), 67, 73
<i>hemisema</i> (Meyr.), <i>Tachystola</i>	225, 226, 227, 230, 232-236, 237 (photo), 239, 240, 242, 243
<i>hemisema</i> agg., <i>Tachystola</i>	226
<i>hepariella</i> Staint., <i>Zelleria</i>	199, 200, 203, 204, 204 (photo), 205, 205 (photo), 206, 206 (photo), 207, 207 (photo), 208, 208 (photo), 209, 209 (photo), 210, 271
<i>heringella</i> (Mariani), <i>Ectoedemia</i>	256
<i>heringi</i> (Toll), <i>Ectoedemia</i>	256
<i>histrionana</i> (Fröl.), <i>Dichelia</i>	67, 68, 68 (photo), 69, 189, 280
<i>honoratella</i> (Rebel), <i>Caloptilia</i>	20, 21, 21 (photo), 62-66, 66 (dist map), 67, 67 (photo), 73, 74, 269, 290
<i>hornigi</i> (Stdgr.), <i>Monochroa</i>	274
<i>horridella</i> (Treits.), <i>Ypsolopha</i>	271
<i>hortulata</i> (Linn.), <i>Anania</i>	44, 133
<i>hospes</i> (Frey.), <i>Athetis</i>	159
<i>hostilis</i> (Steph.), <i>Sciota</i>	143
<i>huebneri</i> Koçak, <i>Holoscolia</i>	132
<i>humiliella</i> H.-S., <i>Bucculatrix</i>	268
<i>hyale</i> (Linn.), <i>Colias</i>	141
<i>hyperantus</i> (Linn.), <i>Aphantopus</i>	98
<i>hyperici</i> ([D. & S.]), <i>Chloantha</i>	159
<i>icarus</i> (Rott.), <i>Polyommatus</i>	99, 135
<i>ignorata</i> Kuznetzov, <i>Pammene</i>	284
<i>ilia</i> ([D. & S.]), <i>Apatura</i>	135
<i>ilicis</i> Esper, <i>Satyrium</i>	134
<i>imella</i> (Hübner), <i>Monopis</i>	288
<i>immundella</i> (Zell.), <i>Trifurcula</i>	50, 51
<i>imperialella</i> (Zell.), <i>Dialectica</i>	9
<i>incognitella</i> (H.-S.), <i>Stigmella</i>	264
<i>inconspicuellata</i> (Staint.), <i>Dahlica</i>	267
<i>innoxiiella</i> Gregersen & Karsholt, <i>Anarsia</i>	274, 290
<i>inquinatana</i> (Hübner), <i>Cydia</i>	283
<i>inquinatella</i> ([D. & S.]), <i>Agriphila</i>	288
<i>inscriptella</i> (Dup.), <i>Delplanqueia</i>	285
<i>insectella</i> (Fabr.), <i>Haplotinea</i>	268
<i>inspersella</i> (Hübner), <i>Scythris</i>	211, 212, 212 (photo), 213, 213 (photo), 214, 214 (photo)
<i>internana</i> (Guenée), <i>Grapholita</i>	283
<i>interpunctella</i> (Hübner), <i>Plodia</i>	133, 286
<i>interrogationis</i> (Linn.), <i>Syngrapha</i>	158
<i>interscindana</i> (Mösch.), <i>Cydia</i>	79, 80, 178
<i>intimella</i> (Zell.), <i>Ectoedemia</i>	256
<i>inulæ</i> Wocke, <i>Coleophora</i>	277
<i>io</i> (Linn.), <i>Inachis</i>	142
<i>io</i> (Linn.), <i>Aglais</i>	99
<i>ipsilon</i> (Hufn.), <i>Agrotis</i>	163, 177, 178
<i>irrorella</i> (Hübner), <i>Yponomeuta</i>	288
<i>isidis</i> (Zell.), <i>Ceutholopha</i>	259
<i>italica</i> Baldizzone, <i>Metalampra</i>	272
<i>janthinana</i> (Dup.), <i>Grapholita</i>	284
<i>jasius</i> (Linn.), <i>Charaxes</i>	135
<i>joannisi</i> (Le Marchand), <i>Phyllonorycter</i>	270
<i>josephinae</i> (Toll), <i>Agnoea</i>	273
<i>juncicolella</i> Staint., <i>Coleophora</i>	276
<i>junctella</i> (Douglas), <i>Caryocolum</i>	276
<i>juniperana</i> (Mill.), <i>Pammene</i>	285
<i>Juniperus</i> sp.	274
<i>jurassicella</i> (Frey), <i>Mompha</i>	78, 279
<i>jurtina</i> (Linn.), <i>Maniola</i>	99, 135, 190
<i>juventina</i> (Stoll), <i>Callopietria</i>	137, 159
<i>klemannella</i> (Fabr.), <i>Phyllonorycter</i>	270
<i>koenigi</i> Căpuse, <i>Nemapogon</i>	267
<i>kuehnella</i> (Goeze), <i>Coleophora</i>	277
<i>kuehniella</i> Zell., <i>Ephesia</i>	144
<i>kuhlweiniella</i> (Zell.), <i>Phyllonorycter</i>	269
<i>lacticolella</i> Rebei, <i>Blastobasis</i>	279
<i>lacunana</i> ([D. & S.]), <i>Celypha</i>	197, 197 (photo), 198, 198 (photo)
<i>laetus</i> (Zell.), <i>Oxyptilus</i>	279
<i>laetus</i> (Zell.), <i>Crombrugghia</i>	140
<i>laichartingella</i> (Goeze), <i>Diplodoma</i>	266
<i>l-album</i> (Linn.), <i>Mythimna</i>	161
<i>lancealis</i> ([D. & S.]), <i>Anania</i>	287
<i>langiella</i> (Hübner), <i>Mompha</i>	279
<i>langmaidii</i> Plant, <i>Tetramoera</i>	215
<i>lantanela</i> (Schränk), <i>Phyllonorycter</i>	270
<i>lapidella</i> (Goeze), <i>Luffia</i>	267

<i>lappella</i> (Linn.), <i>Metzneria</i>	274
<i>lassella</i> Stdgr., <i>Coleophora</i>	97, 97 (photo), 260, 277
<i>lathamella</i> Fletch., <i>Chrysoclista</i>	278
<i>lathonia</i> (Linn.), <i>Issoria</i>	135, 141
<i>lautella</i> (Zell.), <i>Phyllonorycter</i>	270
<i>lecheana</i> (Linn.), <i>Ptycholoma</i>	280
<i>leplastriana</i> (Curtis), <i>Selania</i>	28, 28 (photo), 29 (photo), 30, 283
<i>leucapennella</i> (Steph.), <i>Povolnya</i>	269
<i>leucogaster</i> (Frey.), <i>Ochropleura</i>	162
<i>leucographa</i> ([D. & S.]), <i>Cerastis</i>	162
<i>leucographella</i> (Zell.), <i>Phyllonorycter</i> ..	129, 131, 132
<i>leucotreta</i> (Meyr.), <i>Thaumatotibia</i>	141
<i>leuwenhoekella</i> (Linn.), <i>Panclia</i>	273
<i>licarsisalis</i> (Walk.), <i>Herpetogramma</i>	137, 146
<i>lichenaria</i> (Hufn.), <i>Cleorodes</i>	152
<i>lichenella</i> (Linn.), <i>Dahlica</i>	290
<i>ligustri</i> ([D. & S.]), <i>Craniophora</i>	221
<i>limbata</i> (Linn.), <i>Evergestia</i>	287
<i>limbella</i> (Fabr.), <i>Scythris</i>	279
<i>limbirena</i> (Guenée), <i>Ctenoplusia</i>	157
<i>limoniella</i> (Staint.), <i>Coleophora</i>	289
<i>linearia</i> (Hüb.), <i>Cyclophora</i>	129, 131, 135
<i>lineata</i> (Scop.), <i>Siona</i>	135
<i>lineola</i> (Ochs.), <i>Thymelicus</i>	134
<i>lineola</i> (Curtis), <i>Eudonia</i>	288
<i>linetella</i> (Fabr.), <i>Chrysocrambus</i>	137, 148
<i>linetellus</i> (Fabr.), <i>Chrysocrambus</i>	133
<i>linneella</i> (Clerck), <i>Chrysoclista</i>	278
<i>lithargyrinella</i> Zell., <i>Coleophora</i>	277
<i>lividalis</i> (Hüb.), <i>Hypena</i>	137, 153
<i>livornica</i> (Esp.), <i>Hyles</i>	151
<i>lobarzewskii</i> (Nowicki), <i>Grapholita</i>	284
<i>lobella</i> ([D. & S.]), <i>Luquetia</i>	273
<i>logiana</i> (Clerck), <i>Acleris</i>	281
<i>longana</i> (Haw.), <i>Nephasia</i>	79
<i>loniceræ</i> (Scheven), <i>Zygaena</i>	99
<i>loreyi</i> (Dup.), <i>Leucania</i>	161
<i>Loryma</i>	1
<i>lucida</i> (Hufn.), <i>Acontia</i>	136, 158
<i>lucidella</i> (Steph.), <i>Monochroa</i>	274
<i>luctuosa</i> ([D. & S.]), <i>Tyta</i>	97-99, 136, 158
<i>luculella</i> (Hüb.), <i>Teleiodes</i>	290
<i>lunaedactyla</i> (Haw.), <i>Marasmarcha</i>	279
<i>lunana</i> (Thunb.), <i>Philedonides</i>	280
<i>lunaris</i> ([D. & S.]), <i>Minucia</i>	156
<i>lunulana</i> ([D. & S.]), <i>Grapholita</i>	283
<i>luticomella</i> Zell., <i>Elachista</i>	278
<i>machaon</i> Linn., <i>Papilio</i> ...	22, 22 (photo), 23, 69, 70, 70 (photo), 71, 72, 72 (photo), 134, 141
<i>machaon britannicus</i> Seitz, <i>Papilio</i>	23
<i>maculicerusella</i> (Bruand), <i>Elachista</i>	278
<i>magnificana rungsi</i> (Rebel), <i>Eugnosta</i>	258
<i>malella</i> (Staint.), <i>Stigmella</i>	263
<i>malifoliella</i> (Costa), <i>Leucoptera</i>	132

<i>malinellus</i> Zell., <i>Yponomeuta</i>	271
<i>malvae</i> (Linn.), <i>Pyrgus</i>	98, 99
<i>manniana</i> (F.v.R.), <i>Phalonidia</i>	281
<i>mansuetella</i> (Zell.), <i>Micropterix</i>	263
<i>margaritella</i> ([D. & S.]), <i>Catoptria</i>	147
<i>margarotana</i> (Hein.), <i>Gravitarmata</i>	283
<i>marginana</i> (Haw.), <i>Endothenia</i>	282
<i>marginella</i> (Fabr.), <i>Dichomeris</i>	274
<i>maritima</i> (Tengst.), <i>Phycitodes</i>	197, 286
<i>marmorea</i> (Haw.), <i>Caryocolum</i>	276
<i>marmorea</i> (Haw.), <i>Acrobasis</i>	286
<i>maroccanella</i> Amsel, <i>Blastobasis</i>	2, 3, 279
<i>marshalli</i> Butler, <i>Cacyrus</i>	131, 134
<i>martinii</i> Petry, <i>Apodia</i>	2, 3
<i>mayrella</i> (Hüb.), <i>Coleophora</i>	277
<i>medicaginis</i> (Kuzn.), <i>Cydia</i>	2
<i>megacephala</i> ([D. & S.]), <i>Subacronicta</i>	253
<i>megera</i> (Linn.), <i>Lasiommata</i>	135
<i>Melitaea</i> sp. as 'Mellicta sp.'	94
<i>mercurella</i> (Linn.), <i>Eudonia</i>	133, 288
<i>Mesapamea</i> sp.	115
<i>messaniella</i> (Zell.), <i>Phyllonorycter</i>	74
<i>metallella</i> ([D. & S.]), <i>Antispila</i>	256
<i>metallicana</i> (Hüb.), <i>Phiaris</i>	281
<i>metis</i> (Frey.), <i>Apatura</i>	131, 135
<i>mi</i> (Clerck), <i>Euclidia</i>	99
<i>micalis</i> (Mann), <i>Tebenna</i>	140, 280, 289
<i>micana</i> ([D. & S.]), <i>Phiaris</i>	281
<i>micella</i> ([D. & S.]), <i>Argolamprotes</i>	274
<i>microdactyla</i> (Hüb.), <i>Adaina</i>	279
<i>milvipennis</i> Zell., <i>Coleophora</i>	187
<i>minimella</i> (Zett.), <i>Ectoedemia</i>	256
<i>miniosa</i> ([D. & S.]), <i>Orthosia</i>	160
<i>minorata</i> (Bois.), <i>Scopula</i>	136
<i>moldavica</i> (Esp.), <i>Synaphe</i>	133
<i>molesta</i> (Busck), <i>Grapholita</i>	80
<i>molliculana</i> Zell., <i>Neocochylis</i>	290
<i>moracana</i> (Linn.), <i>Agapeta</i>	258
<i>mucronella</i> (Scop.), <i>Ypsolopha</i>	271
<i>mulliganæ</i> sp. nov. , <i>Tachystola</i>	225, 226, 226 (photo), 227-237, 237 (photo), 238, 238 (photo), 239, 240, 242
<i>muscerda</i> (Hufn.), <i>Pelosia</i>	154
<i>muscosella</i> Zell., <i>Gelechia</i>	2
<i>myllerana</i> (Fabr.), <i>Prochoreutis</i>	280
<i>mytilella</i> (Hüb.), <i>Catoptria</i>	133
<i>nana</i> (Haw.), <i>Thyraylia</i>	281
<i>nanella</i> ([D. & S.]), <i>Recurvaria</i>	276
<i>napi</i> (Linn.), <i>Pieris</i>	99
<i>nebulella</i> ([D. & S.]), <i>Homoeosoma</i>	286
<i>nebulella</i> (Haw.), <i>Paraswammerdamia</i>	271
<i>nemoralis</i> (Scop.), <i>Agrotera</i>	145
<i>nemorana</i> (Hüb.), <i>Choreutis</i> ...	190, 190 (photo), 191, 215, 217, 280, 289
<i>nerii</i> (Linn.), <i>Daphnis</i>	149
<i>ni</i> (Hüb.), <i>Trichoplusia</i>	2, 157
<i>nigra</i> (Haw.), <i>Gelechia</i>	275

<i>nigrescentella</i> (Logan), <i>Phyllonorycter</i>	270
<i>nigricomella</i> (Zell.), <i>Bucculatrix</i>	268
<i>nigropunctata</i> (Hufn.), <i>Scopula</i>	151
<i>niphognatha</i> (Gozm.), <i>Monochroa</i>	117-119,
121 (photo), 123 (photo), 124 (photo),	
125 (photo), 126, 126 (photo), 127, 274	
<i>nitidalis</i> (Walk.), <i>Musotima</i>	288
<i>nitidana</i> (Fabr.), <i>Strophedra</i>	285
<i>noctuella</i> ([D. & S.]), <i>Nomophila</i>	133, 163, 168
<i>notana</i> (Don.), <i>Acleris</i>	281
<i>notatella</i> (Hübner.), <i>Carpatolechia</i>	276
<i>novimundi</i> (Busck), <i>Oegoconia</i>	76
<i>nubilalis</i> (Hübner.), <i>Ostrinia</i>	145, 287
<i>nymphaeata</i> (Linn.), <i>Elophila</i>	47
<i>obductella</i> (Zell.), <i>Uncinus</i>	262, 285
<i>obliquella</i> Staint., <i>Elachista</i>	278
<i>oblitelis</i> (Zell.), <i>Ancylosis</i>	144, 286
<i>obscurana</i> (Steph.), <i>Pammene</i>	284
<i>obscuripunctella</i> (Staint.), <i>Perittia</i>	278
<i>obsoletella</i> (F.v.R.), <i>Scrobipalpa</i>	275
<i>obstipata</i> (Fabr.), <i>Nycterosea</i>	172
<i>obumbratana</i> (Lien. & Zell.), <i>Eucosma</i>	282
<i>occulta</i> (Linn.), <i>Eurois</i>	162, 163
<i>occultella</i> (Linn.), <i>Ectoedemia</i>	256
<i>ocellana</i> ([D. & S.]), <i>Spilonota</i>	282
<i>ocellaris</i> (Borkh.), <i>Cirrhia</i>	160
<i>ocellatella</i> (Boyd), <i>Scrobipalpa</i>	262, 275
<i>ocellea</i> (Haw.), <i>Euchromius</i>	137, 147, 288
<i>ochrata</i> (Scop.), <i>Idaea</i>	136, 151
<i>ochrodactyla</i> ([D. & S.]), <i>Gillmeria</i>	279
<i>ochsenheimeriana</i> (Lien. & Zell.), <i>Pammene</i>	285
<i>ocnerostomella</i> (Staint.), <i>Tinagma</i>	16, 272
<i>octogenaria</i> (Goeze), <i>Hoplodrina</i>	136
<i>ocypete</i> (Linn.), <i>Enyo</i>	149
<i>Ocystola</i> sp.	226
<i>Oegoconia</i> sp.	76
<i>oehlmanniella</i> (Hübner.), <i>Incurvaria</i>	266
<i>ohridella</i> Deschka & Dimić, <i>Cameraria</i>	132,
271, 288	
<i>oleastrella</i> (Mill.), <i>Zelleria</i>	139, 178, 271
<i>Omphaloscelis</i>	5
<i>ononidis</i> (Zell.), <i>Parectopa</i>	63
<i>onoraria</i> (Füssly), <i>Aplasta</i>	135
<i>oppressana</i> (Treits.), <i>Gypsonoma</i>	2, 283
<i>orbitella</i> Zell., <i>Coleophora</i>	276
<i>orichalcea</i> Staint., <i>Cosmopterix</i>	274
<i>orichalcea</i> (Fabr.), <i>Thysanoplusia</i>	157
<i>ornata</i> (Scop.), <i>Scopula</i>	135, 151
<i>ornatalis</i> (Dup.), <i>Hydriris</i>	131, 133
<i>ostrina</i> (Hübner.), <i>Eublemma</i>	154
<i>otidipennella</i> (Hübner.), <i>Coleophora</i>	277
<i>otomanus</i> (Lefèbvre), <i>Lycaena</i>	134
<i>oxyacanthella</i> (Staint.), <i>Stigmella</i>	264
<i>palealis</i> ([D. & S.]), <i>Sitochroa</i>	145
<i>paliurella</i> Gerasimov, <i>Stigmella</i>	129, 131
<i>pallescentella</i> Staint., <i>Tinea</i>	267
<i>pallida</i> (Curtis), <i>Eudonia</i>	288
<i>pallidana</i> (Fabr.), <i>Clepsis</i>	132

<i>pallidata</i> (Hufn.), <i>Evergestis</i>	287
<i>pallidochrella</i> (Chambers), <i>Symmetrischema</i>	1, 140
<i>pallifrontana</i> Zell., <i>Grapholita</i>	283
<i>paludella</i> (Hübner.), <i>Calamotropha</i>	288
<i>palumbella</i> ([D. & S.]), <i>Pempelia</i>	133
<i>palustrana</i> (Lien. & Zell.), <i>Phiaris</i>	281
<i>pamphilus</i> (Linn.), <i>Coenonympha</i>	99, 135
<i>paphia</i> (Linn.), <i>Argynnis</i>	135
<i>Paralipsa</i>	2, 3
<i>parasitella</i> (Hübner.), <i>Triaxomera</i>	267
<i>pariana</i> (Clerck), <i>Choreutis</i>	280
<i>paripennella</i> Zell., <i>Coleophora</i>	278
<i>Parornix</i> sp.	74
<i>parva</i> (Hübner.), <i>Eublemma</i>	137, 154, 172,
173, 178	
<i>parvulana</i> (Wilkinson), <i>Eucosma</i>	283
<i>pascuella</i> (Linn.), <i>Crambus</i>	288
<i>pasiuana</i> (Hübner.), <i>Cnephasia</i>	78, 79, 280
<i>pastorella</i> (Zell.), <i>Phyllonorycter</i>	270
<i>paupella</i> (Zell.), <i>Ptocheuusa</i>	274
<i>pavonia</i> (Linn.), <i>Saturnia</i>	98, 99
<i>peltigera</i> ([D. & S.]), <i>Heliothis</i>	173, 174
<i>pennella</i> ([D. & S.]), <i>Coleophora</i>	16
<i>pentadactyla</i> (Linn.), <i>Pterophorus</i>	279
<i>peregrina</i> Agassiz, <i>Prays</i>	215
<i>peribenanderi</i> Toll, <i>Coleophora</i>	277
<i>perieresalis</i> (Walk.), <i>Diplopeustis</i>	145
<i>peritana</i> (Clemens)*, <i>Clepsis</i>	218, 218 (photo),
219, 219 (photo), 220	
<i>perlella</i> (Scop.), <i>Crambus</i>	288
<i>perlucidalis</i> (Hübner.), <i>Anania</i>	289
<i>perpygmaeella</i> (Doubl.), <i>Stigmella</i>	264
<i>perspectalis</i> (Walk.), <i>Cydalima</i>	83-86, 287, 290
<i>petryi</i> Martini, <i>Antispila</i>	256
<i>phasianipennella</i> (Hübner.), <i>Calybites</i>	269
<i>phegea</i> (Linn.), <i>Amata</i>	154
<i>phillyrella</i> Staint., <i>Zelleria</i>	199, 200
<i>phlaeas</i> (Linn.), <i>Lycaena</i>	13, 99, 134, 190
<i>phragmitella</i> Staint., <i>Limnaecia</i>	273
<i>Phragmites</i> sp.	274
<i>phycidella</i> (Zell.), <i>Blastobasis</i>	132, 194-196
<i>Phyllonorycter</i> sp.	26, 49, 56
<i>picaepennis</i> (Haw.), <i>Scythris</i>	279
<i>picarella</i> (Clerck), <i>Nemapogon</i>	267
<i>pinariella</i> Zell., <i>Ocnerosoma</i>	271
<i>pinicolella</i> (Zell.), <i>Batrachedra</i>	77, 276
<i>pirithous</i> (Linn.), <i>Leptotes</i>	134
<i>plagicolella</i> (Staint.), <i>Stigmella</i>	32, 264
<i>platani</i> (Stdgr.), <i>Phyllonorycter</i>	2, 129, 131,
132, 269, 288	
<i>plebejana</i> Zell., <i>Crociosema</i>	282
<i>plexippus</i> (Linn.), <i>Danaus</i>	141
<i>poae</i> Staint., <i>Elachista</i>	278
<i>podalirius</i> (Linn.), <i>Iphichides</i>	134, 141
<i>podana</i> (Scop.), <i>Archips</i>	132
<i>polychloros</i> (Linn.), <i>Nymphalis</i>	142, 178
<i>polychromella</i> (Rebel), <i>Apraerema</i>	140

<i>polygrammata</i> (Borkh.), <i>Costaconvexa</i>	151
<i>polyodon</i> (Clerck), <i>Actinotia</i>	159
<i>populetorum</i> (Zell.), <i>Caloptilia</i>	268
<i>porphyrana</i> (Hübner.), <i>Eudemis</i>	281
<i>porrectella</i> (Linn.), <i>Plutella</i>	271
<i>postvittana</i> (Walk.), <i>Epiphyas</i>39, 39 (photo), 40 (photo), 198, 215, 280	
<i>poterii</i> (Staint.), <i>Stigmella</i>	264
<i>praeangusta</i> (Haw.), <i>Batrachedra</i>	276
<i>praecocella</i> Zell., <i>Argyresthia</i>	272
<i>praecox</i> (Linn.), <i>Actebia</i>	161
<i>proboscoidalis</i> (Linn.), <i>Hypena</i>	136
<i>processionea</i> (Linn.), <i>Thaumetopoea</i>	152, 153
<i>promissa</i> ([D. & S.]), <i>Catocala</i>	156
<i>pronuba</i> (Linn.), <i>Noctua</i>	162
<i>pronubana</i> (Hübner.), <i>Cacoecimorpha</i>	280
<i>propinquella</i> (Treits.), <i>Agonopterix</i>	273, 288
<i>proteella</i> Staud., <i>Pleurota</i>129, 131, 132	
<i>prunifoliella</i> (Hübner.), <i>Lyonetia</i>32, 33, 33 (photo), 75, 76, 272	
<i>pseudospretella</i> (Staint.), <i>Hofmannophila</i>228, 233, 235	
<i>pulchella</i> (Linn.), <i>Utetheisa</i>	154
<i>pulcherrimella</i> Staint., <i>Depressaria</i>	273
<i>pulchrimella</i> Chambers, <i>Cosmopterix</i>	274
<i>pulchrina</i> (Haw.), <i>Autographa</i>37 (photo), 38 (photo)	
<i>pulicariae</i> (Klim.), <i>Digitivalva</i>	271
<i>pulveralis</i> (Hübner.), <i>Psammotis</i>	2, 145
<i>pulveratella</i> (H.-S.), <i>Xystophora</i>	2, 288
<i>pulverosella</i> (Staint.), <i>Bohemannia</i>	264
<i>pumicana</i> (Zell.), <i>Cnephasia</i>	78, 79
<i>pumilio</i> (Hoff.), <i>Gegenes</i>	134
<i>punctalis</i> ([D. & S.]), <i>Dolicharthria</i>	133
<i>punctellus</i> (Treits.), <i>Ematheudes</i>	133
<i>puppillaria</i> (Hübner.), <i>Cyclophora</i>	151
<i>purpuralis</i> (Linn.), <i>Pyrausta</i>	133
<i>purpurina</i> ([D. & S.]), <i>Eublemma</i>	137, 155
<i>putnami</i> Grote, <i>Plusia</i>	38
<i>pygarga</i> (Hufn.), <i>Deltote</i>	136
<i>pyramidea</i> (Linn.), <i>Amphipyra</i>	3
<i>pyrausta</i> (Pall.), <i>Ethmia</i>	273
<i>pyri</i> (Glitz), <i>Stigmella</i>	264
<i>pyrina</i> (Linn.), <i>Zeuzerina</i>	2
<i>quadra</i> (Linn.), <i>Lithosia</i>	136
<i>quadrillella</i> (Goeze), <i>Ethmia</i>	273
<i>quadrinaculana</i> (Haw.), <i>Endothenia</i>	282
<i>quadrinaculella</i> (Boheman), <i>Bohemannia</i>	264
<i>quadripuncta</i> (Haw.), <i>Oegoconia</i>	76, 272
<i>quercus</i> (Linn.), <i>Favonia</i>	134
<i>quercus</i> (Linn.), <i>Lasiocampa</i>	99
<i>quinqueguttella</i> (Staint.), <i>Phyllonorycter</i>	270
<i>ramburialis</i> (Dup.), <i>Diasemiopsis</i>	146, 287
<i>rancidella</i> (H.-S.), <i>Athrips</i>	274
<i>rapae</i> (Linn.), <i>Pieris</i>	99, 134, 141
<i>raschkiella</i> (Zell.), <i>Mompha</i>	279
<i>reaumurella</i> (Linn.), <i>Adela</i>	266
<i>rebeli</i> Karsholt & Sinev, <i>Blastobasis</i>	279
<i>recurvalis</i> (Fabr.), <i>Spoladea</i> ...131, 133, 146, 287	
<i>reducta</i> Stdgr., <i>Limenitis</i>	135
<i>regificella</i> Sircom, <i>Elachista</i>	2, 278
<i>reliquana</i> (Hübner.), <i>Lobesia</i>	281
<i>repandalis</i> ([D. & S.]), <i>Paracorsia</i>	144
<i>repandana</i> (Fabr.), <i>Acrobasis</i>	144, 257, 286
<i>resinella</i> (Linn.), <i>Retinia</i>	283
<i>resplendella</i> (Staint.), <i>Heliozela</i>	266
<i>rhamni</i> (Linn.), <i>Gonepteryx</i>	134
<i>rhedieella</i> (Clerck), <i>Pammene</i>	284
<i>rhenella</i> (Zinck), <i>Sciota</i>137, 143, 185	
<i>ridens</i> (Fabr.), <i>Polyploca</i>	2
<i>rivulana</i> (Scop.), <i>Celypha</i>	281
<i>roborella</i> (Johansson), <i>Stigmella</i>	264
<i>robustana</i> (Christoph), <i>Bactra</i>	282
<i>robustella</i> Jäckh, <i>Caloptilia</i>63, 64, 269	
<i>rorrella</i> (Hübner.), <i>Yponomeuta</i>139, 290	
<i>rosaceana</i> Schläger, <i>Celypha</i>	281
<i>rosaecolana</i> (Doubl.), <i>Notocelia</i>	283
<i>rosana</i> (Linn.), <i>Archips</i>	280
<i>rosella</i> (Scop.), <i>Eurhodope</i>	133
<i>roxelana</i> (Cramer), <i>Kirinia</i>	135
<i>rubigana</i> (Treits.), <i>Aethes</i>	289
<i>rubiginata</i> (Hufn.), <i>Scopula</i>	136, 151
<i>rubivora</i> (Wocke), <i>Ectoedemia</i>	289
<i>rufana</i> (Scop.), <i>Celypha</i>	2, 141, 281
<i>ruficapitella</i> (Haw.), <i>Stigmella</i>	264
<i>ruficiliaria</i> (H.-S.), <i>Cyclophora</i>	151
<i>rufipennella</i> (Hübner.), <i>Caloptilia</i>73, 268	
<i>rupicola</i> (Curtis), <i>Cochylidia</i>	281
<i>ruralis</i> (Scop.), <i>Pleuroptya</i>	84
<i>ruricolella</i> (Staint.), <i>Nemapogon</i>	267
<i>ruzinana</i> (Linn.), <i>Clepsis</i>	220
<i>ruticilla</i> (Esp.), <i>Spudaea</i>	1
<i>sacrarina</i> (Linn.), <i>Rhodometra</i>	136, 171
<i>sakhalinella</i> Puplesis, <i>Stigmella</i>	263
<i>salicella</i> (Linn.), <i>Hedya</i>	290
<i>salicorniae</i> Hein. & Wocke, <i>Coleophora</i>	278
<i>saligna</i> (Zell.), <i>Phyllocnistis</i>	271
<i>saligna f. claire</i> (Zell.), <i>Phyllocnistis</i>	75
<i>sangii</i> (Wood), <i>Eriocrania</i>	263
<i>saucia</i> (Hübner.), <i>Peridroma</i>	177
<i>sauciana</i> (Fröhl.), <i>Apotomis</i>	79
<i>saxicolella</i> (Dup.), <i>Coleophora</i>	289
<i>scaliarella</i> (Zell.), <i>Dialectica</i>1, 6, 7 (photo), 8 (photo), 9, 10 (photo), 11 (photo), 12, 13, 14 (dist map), 15-18, 139, 269	
<i>schalleriana</i> (Linn.), <i>Acleris</i>	280
<i>schleiini</i> Witt et. al., <i>Olepa</i>	153
<i>schmidtiiellus</i> (Heyd.), <i>Acompsia</i>	274
<i>schreiberella</i> (Fabr.), <i>Phyllonorycter</i>	270
<i>schwarzella</i> (Fabr.), <i>Panalia</i>	273
<i>scirpi</i> Staint., <i>Elachista</i>	278
<i>scopariella</i> (Zell.), <i>Phyllonorycter</i>	49, 270
<i>scotinella</i> H.-S., <i>Gelechia</i>	275
<i>scribaiella</i> Zell., <i>Cosmopterix</i>	274

<i>scribaiella zeller</i> Zell., <i>Cosmopterix</i>	2
<i>secalis</i> (Linn.), <i>Mesapamea</i>	115, 116
<i>sedella</i> Treits., <i>Yponomeuta</i>	271
<i>sehestediana</i> (Fabr.), <i>Prochoreutis</i>	280
<i>semifascia</i> (Haw.), <i>Caloptilia</i> .20, 21, 21 (photo), 59, 73, 269, 289	
<i>semifascia f. hauderi</i> (Haw.), <i>Caloptilia</i>	61 (photo), 62
<i>semifasciana</i> (Haw.), <i>Apotomis</i>	281
<i>semipurpurella</i> (Steph.), <i>Eriocrania</i>	263
<i>semirubella</i> (Scop.), <i>Oncocera</i>	133, 143, 285
<i>senecionana</i> (Hübner), <i>Clepsis</i>	280
<i>sequax</i> (Haw.), <i>Neotelphusa</i>	276
<i>sequella</i> (Clerck), <i>Ypsolopha</i>	271
<i>sericiella</i> (Haw.), <i>Heliozela</i>	266
<i>sericopeza</i> (Zell.), <i>Etainia</i>	256
<i>serpylletorum</i> Hering, <i>Coleophora</i>	188
<i>serratilineella</i> (Rag.), <i>Vitula</i>	286
<i>serricornis</i> Staint., <i>Elachista</i>	278
<i>servillana</i> (Dup.), <i>Cydia</i>	2, 283
<i>sexguttella</i> (Thunb.), <i>Chrysoesthia</i>	274
<i>shepherdana</i> (Steph.), <i>Acleris</i>	281
<i>sidonia</i> (Meyr.), <i>Tachystola</i>	229, 242
<i>signaria</i> (Hübner), <i>Macaria</i>	152
<i>signatana</i> (Douglas), <i>Epinotia</i>	282
<i>signatella</i> H.-S., <i>Symmoca</i>	139
<i>silvella</i> (Hübner), <i>Crambus</i>	147
<i>silivella</i> (Hübner), <i>Denisia</i>	272
<i>silivella</i> (Zinck.), <i>Elegia</i>	143
<i>similis</i> (Fuessly), <i>Sphrageidus</i>	136
<i>simulans</i> (Hufn.), <i>Rhyacia</i>	162
<i>sinapis</i> (Linn.), <i>Leptidea</i>	134
<i>sinuella</i> (Fabr.), <i>Homoeosoma</i>	133
<i>smeathmanniana</i> (Fabr.), <i>Aethes</i>	289
<i>sodaliana</i> (Haw.), <i>Phtheochroa</i>	281
<i>somnulentella</i> (Zell.), <i>Bedellia</i>	272
<i>sordidana</i> (Hübner), <i>Epinotia</i>	282
<i>sordidatella</i> Tengström, <i>Depressaria</i>	273
<i>spadicearia</i> ([D. & S.]), <i>Xanthorhoe</i>	64
<i>sparganella</i> (Thunb.), <i>Orthotelia</i>	271
<i>sparmannella</i> (Bosc), <i>Eriocrania</i>	263
<i>speciosa</i> (Frey), <i>Stigmella</i>	264
<i>spiniana</i> (Dup.), <i>Pammene</i>	284
<i>splendana</i> (Hübner), <i>Cydia</i>	283, 289
<i>splendens</i> (Hübner), <i>Lacania</i>	161
<i>splendidulana</i> (Guenée), <i>Pammene</i>	284
<i>Spodoptera</i> sp.	35
<i>sponsa</i> (Linn.), <i>Catocala</i>	137, 156
<i>stabilella</i> Staint., <i>Elachista</i>	278
<i>tachydalis</i> (Germar), <i>Anania</i>	145
<i>stagnana</i> ([D. & S.]), <i>Rhopobota</i>	113, 114, 114 (photo), 282
<i>stellatarum</i> (Linn.), <i>Macroglossum</i>	133, 163, 169-171
<i>stenochrysis</i> (Warren), <i>Diachrysis</i>	2
<i>sternipennella</i> (Zett.), <i>Coleophora</i>	277
<i>steropodes</i> Meyrick, <i>Pachyrhabda</i>	279
<i>stettinensis</i> (Nic.), <i>Phyllonorycter</i>	270

<i>sticticalis</i> (Linn.), <i>Loxostege</i>	137, 144, 145, 286, 290
<i>sticticana</i> (Fabr.), <i>Epiblema</i>	283
<i>stigmatella</i> (Fabr.), <i>Caloptilia</i>	60, 63, 269
<i>Stigmella</i> sp.	25
<i>stolidis</i> Guenée, <i>Glyphodes</i>	217
<i>stolida</i> (Fabr.), <i>Grammodes</i>	137, 156
<i>straminella</i> ([D. & S.]), <i>Agriphila</i>	133
<i>striatella</i> ([D. & S.]), <i>Isophrictis</i>	274
<i>strigana</i> (Fabr.), <i>Lathronympha</i>	289
<i>strigulatella</i> (Lien. & Zell.), <i>Phyllonorycter</i> ..	270
<i>strioella</i> (Matsumura), <i>Niditinea</i>	268
<i>strobilella</i> (Linn.), <i>Cydia</i>	141
<i>stultana</i> Wals., <i>Platynota</i>	141
<i>subbimaculella</i> (Haw.), <i>Ectoedemia</i>	256
<i>subfasciella</i> (Steph.), <i>Cedestis</i>	271
<i>subnitidella</i> (Dup.), <i>Trifurcula</i>	264
<i>subochreella</i> (Doubl.), <i>Agnoea</i>	273
<i>subsericeata</i> (Haw.), <i>Idaea</i>	136
<i>suffusella</i> (Douglas), <i>Monochroa</i>	274
<i>sulphurella</i> (Fabr.), <i>Esperia</i>	273
<i>Sunira</i>	5
<i>superstes</i> (Ochs.), <i>Hoplodrina</i>	159
<i>suspectana</i> (Lien. & Zell.), <i>Pammene</i>	80, 284, 289
<i>swammerdamella</i> (Linn.), <i>Nematopogon</i>	266
<i>Swammerdamia</i> sp.	200
<i>sylvanus</i> (Esp.), <i>Ochlodes</i>	99
<i>sylvaticella</i> Wood, <i>Coleophora</i>	277
<i>sylvestrella</i> (Ratz.), <i>Dioryctria</i>	143, 285
<i>sylvestris</i> (Poda), <i>Thymelicus</i>	99, 134
<i>tabaniformis</i> (Rott.), <i>Paranthrene</i> ..	182, 183, 183 (photo), 184
<i>Tachystola</i> sp.	233, 235, 239, 240
<i>taeniipennella</i> H.-S., <i>Coleophora</i>	277
<i>taurella</i> ([D. & S.]), <i>Ochsenheimeria</i>	290
<i>tenebrella</i> (Hübner), <i>Monochroa</i>	274
<i>tenebrosana</i> Dup., <i>Grapholita</i>	80, 284
<i>tenerella</i> (Joannis), <i>Phyllonorycter</i>	2, 74
<i>tentaculella</i> (Hübner), <i>Ancylolomia</i>	137, 148
<i>terebrella</i> (Zinck.), <i>Assara</i>	144, 289
<i>terminella</i> Fletch., <i>Ethmia</i>	16
<i>terrella</i> ([D. & S.]), <i>Bryotropha</i>	132
<i>tertia</i> Mentzer et al., <i>Noctua</i>	1
<i>tetraquetrana</i> (Haw.), <i>Epinotia</i>	282
<i>texanella</i> (Chambers), <i>Coleophora</i> ..	129, 131, 132
<i>therinella</i> Tengström, <i>Coleophora</i>	277
<i>thiasotis</i> (Meyr.), <i>Ocytola</i>	236
<i>thiosotis</i> (Meyr.), <i>Tachystola</i>	229, 242
<i>thoracella</i> (Thunb.), <i>Bucculatrix</i>	268
<i>tiliae</i> (Frey), <i>Stigmella</i>	263
<i>tiliae</i> (Linn.), <i>Mimas</i>	253
<i>tinctella</i> (Hübner), <i>Crassa</i>	272
<i>tithonus</i> (Linn.), <i>Pyronia</i>	99, 190
<i>tityus</i> (Linn.), <i>Hemaris</i>	34, 35
<i>tolli</i> (Blesz.), <i>Agriphila</i>	133
<i>torquillella</i> (Zell.), <i>Parornix</i>	269
<i>trabealis</i> (Scop.), <i>Acontia</i>	136

<i>treitschkiella</i> (F.v.R.), <i>Antispila</i>	256, 266
<i>trifasciata</i> Stdgr., <i>Argyresthia</i>	272
<i>trifolii</i> (Curtis), <i>Coleophora</i>	276
<i>trifolii</i> (Hufn.), <i>Anarta</i>	161
<i>trigeminata</i> (Haw.), <i>Idaea</i>	251, 252, 253
<i>trigeminella</i> Fuchs, <i>Coleophora</i>	276
<i>trigonella</i> (Linn.), <i>Epinotia</i>	282
<i>trimaculana</i> (Haw.), <i>Notocelia</i>	283
<i>trimaculella</i> (Haw.), <i>Stigmella</i>	264
<i>trinotella</i> Thun., <i>Tinea</i>	267
<i>tripuncta</i> (Haw.), <i>Telechrysis</i>	273
<i>triquetrella</i> (Hüb.), <i>Dahlica</i>	267
<i>tristrigella</i> (Haw.), <i>Phyllonorycter</i>	26, 270
<i>tritophus</i> (D. & S.), <i>Notodonta</i>	153
<i>trochilella</i> (Dup.), <i>Coleophora</i>	277
<i>trux</i> (Hüb.), <i>Agrotis</i>	162
<i>tumidana</i> (D. & S.), <i>Acrobasis</i>	143, 144, 257, 286
<i>turbidana</i> Hüb., <i>Apotomis</i>	281
<i>turbidella</i> (Zell.), <i>Ectoedemia</i>	256
<i>ulicicolella</i> (Staint.), <i>Phyllonorycter</i>	49, 50, 50 (photo), 51-53, 53 (photo), 54-58, 270, 288
<i>ulmella</i> Zell., <i>Bucculatrix</i>	268
<i>ulmifoliae</i> Hering, <i>Bucculatrix</i>	268
<i>ulmivora</i> (Fologne), <i>Stigmella</i>	263
<i>umbrana</i> (Hüb.), <i>Acleris</i>	281
<i>unculana</i> (Haw.), <i>Anylis</i>	282
<i>undalis</i> (Fabr.), <i>Hellula</i>	146
<i>unicolorella</i> (Dup.), <i>Oxypteryx</i>	274
<i>unipuncta</i> (Haw.), <i>Mythimna</i>	136, 176, 177
<i>unipunctella</i> (Steph.), <i>Phyllocnistis</i>	75
<i>urticae</i> (Linn.), <i>Aglais</i>	99
<i>ustomaculana</i> (Curtis), <i>Rhopobota</i>	282
<i>ustulana</i> (Haw.), <i>Endothenia</i>	282
<i>velocella</i> (Zell.), <i>Aroga</i>	2
<i>venosana</i> (Zell.), <i>Bactra</i>	2
<i>verbascalis</i> (D. & S.), <i>Anania</i>	133, 287
<i>verellus</i> (Zinck.), <i>Catoptria</i>	147, 148
<i>versurella</i> Zell., <i>Coleophora</i>	277
<i>verticalis</i> (Linn.), <i>Sitochroa</i>	145
<i>vetusta</i> (Hüb.), <i>Xylena</i>	160
<i>v-flava</i> (Haw.), <i>Oinophila</i>	268
<i>vibicaria</i> (Clerck), <i>Rhodostrophia</i>	136
<i>vibicigerella</i> Zell., <i>Coleophora</i>	188
<i>villica</i> (Linn.), <i>Arctia</i>	136
<i>viminetorum</i> (Staint.), <i>Phyllonorycter</i>	270
<i>viriplaca</i> (Hufn.), <i>Heliothis</i>	137, 158, 159
<i>viscariella</i> (Staint.), <i>Caryocolum</i>	275
<i>vitellina</i> (Hüb.), <i>Mythimna</i>	175, 176

<i>vitrealis</i> (Rossi), <i>Palpita</i>	167, 168
<i>vittata</i> (Woll.), <i>Blastobasis</i>	3, 279, 289
<i>wagae</i> (Nowicki), <i>Teleiodes</i>	276
<i>wauaria</i> (Linn.), <i>Macaria</i>	152
<i>weaverella</i> (Scott), <i>Monopis</i>	268
<i>woodiana</i> (Barrett), <i>Celypha</i>	39
<i>xenia</i> Hering, <i>Phyllocnistis</i>	2, 75, 271
<i>xylosteanana</i> (Linn.), <i>Archips</i>	280
<i>xylostella</i> (Linn.), <i>Plutella</i>	6, 132, 163, 164
<i>Zelleria</i> sp.	201 (photo), 202 (photo)
<i>zinckenella</i> (Treits.), <i>Etiella</i>	143, 285
<i>zophodactylus</i> (Dup.), <i>Stenoptilia</i>	132

AVES

<i>Panurus biarmicus</i> (Linnaeus, 1758) as 'Bearded Tit'	22, 23
<i>Emberiza schoeniclus</i> (Linnaeus, 1758) as 'Reed Bunting'	22, 23
<i>Acrocephalus schoenobaenus</i> (Linnaeus, 1758) as 'Sedge Warbler'	22, 23

COLEOPTERA

<i>Rhinoncus inconspicuous</i> (Herbst, 1795)	119
<i>Rhinoncus perpendicularis</i> (Reich, 1797)	117, 119, 122 (photo)

DIPTERA

Agromyzidae	41
<i>Agromyza abiens</i> Zetterstedt, 1848	13
<i>Melanagromyza oligophaga</i> Spencer, 1990	41
<i>Phytomyza phillyreae</i> Hering in Buhr, 1930	250, 251
<i>Chirosia</i> sp.	250

HEMIPTERA

<i>Picromerus bidens</i> (Linnaeus, 1758)	22 (photo), 23
--	----------------

HYMENOPTERA

<i>Vespa vulgaris</i> (Linnaeus, 1758)	22 (photo), 71
<i>Vespa vulgaris</i> as 'Common Wasp'	23

TRICHOPTERA

<i>Limnephilus pati</i> O'Connor, 1980	191, 191 (photo), 192, 192 (photo)
<i>Oxyethira tristella</i> Klapalek, 1895	30, 31, 31 (photo), 32 (dist map)
<i>Setodes argentipunctellus</i> McLachlan, 1877	88-90, 91 (photo), 92 (dist map), 93

FOODPLANTS OF LEPIDOPTERA

Page	Page		
<i>Abies procera</i>	67	<i>Crataegus</i> sp.....	76, 218, 264
<i>Acer campestre</i>	61, 263	<i>Cynoglossum australe</i>	9
<i>Acer platanoides</i>	256, 270	<i>Cynoglossum</i> sp.....	9
<i>Acer pseudoplatanus</i>	73, 218, 256, 264, 268	<i>Cytisus scoparius</i>	50, 270
<i>Acer</i> sp.....	62	<i>Cytisus</i> sp.....	51
<i>Achillea millefolium</i>	261, 268	<i>Echium plantagineum</i>	9
<i>Aesculus hippocastanum</i>	132, 218, 271, 288	<i>Echium</i> sp.....	9, 13
<i>Aesculus</i> sp.....	271	<i>Echium vulgare</i>	6, 8 (photo), 9, 10 (photo), 13, 14 (dist map), 16, 17, 269
<i>Agrimonia eupatoria</i>	289	<i>Epilobium hirsutum</i>	78
<i>Agrimonia procera</i>	256	<i>Epilobium</i> sp.....	78
<i>Alnus glutinosa</i>	270	<i>Erica</i> sp.....	19
<i>Alnus incana</i>	270	<i>Eriophorum angustifolium</i>	274, 278
<i>Alnus</i> sp.....	221, 266, 270	<i>Eucalyptus</i> sp.....	215, 232
<i>Artemisia vulgaris</i>	277	<i>Euonymus alatus</i>	83
<i>Artocarpus heterophyllus</i>	215	<i>Euonymus japonicus</i>	83
<i>Atriplex</i> sp.....	274	<i>Ficus carica</i> as 'Fig'.....	217
<i>Atropa belladonna</i>	254	<i>Ficus</i> sp.....	280
<i>Betula pendula</i>	218	<i>Filipendula ulmaria</i>	264
<i>Betula</i> sp.....	53, 76, 107, 256, 263, 264, 266, 268, 281	<i>Fragaria</i> sp.....	219
Boraginaceae.....	6	<i>Fraxinus excelsior</i>	199, 203, 221
<i>Borago officinalis</i>	9	<i>Fraxinus</i> sp.....	221, 251, 271
<i>Brassica oleracea</i>	28, 28 (photo), 29 (photo), 283	<i>Genista anglica</i>	277
<i>Brassica oleracea</i> as 'Wild Cabbage'.....	30	<i>Geranium pratense</i>	34
<i>Buxus sempervirens</i>	83	<i>Heliotropium europaeum</i>	9
<i>Buxus</i> sp.....	83	<i>Heliotropium peruvianum</i>	9
<i>Calluna</i> sp.....	19	<i>Heliotropium</i> sp.....	9
<i>Calluna vulgaris</i>	276	<i>Helminthothoea echioides</i>	98
<i>Calystegia silvatica</i>	272	<i>Hypericum tetrapterum</i>	269
<i>Capsicum annuum</i>	36	<i>Ilex purpurea</i>	83
<i>Carex flacca</i>	101, 102, 104-106, 109, 111	<i>Ilex</i> sp.....	218
<i>Carpinus betulus</i>	270	<i>Jacobaea vulgaris</i>	197
<i>Castanea</i> sp.....	195	<i>Juniperus communis</i> as 'Juniper'.....	79
<i>Centaurea nigra</i>	278	<i>Knautia arvensis</i>	113, 114, 282
<i>Chaenomeles japonica</i>	76	<i>Larix</i> sp.....	77
<i>Chamaenerion angustifolium</i>	211	<i>Leucanthemum vulgare</i>	268
<i>Chara curta</i>	89	<i>Lycyesteria</i> sp.....	270
<i>Chara globularis</i> var. <i>virgata</i>	89	<i>Ligustrum ovalifolium</i>	218
<i>Chara pedunculata</i>	89	<i>Ligustrum</i> sp.....	221, 251
<i>Circaea lutetiana</i>	279	<i>Ligustrum vulgare</i>	199
<i>Cirsium arvensis</i>	99	<i>Lonicera</i> sp.....	278
<i>Citrus</i> sp.....	215, 219	<i>Luma apiculata</i>	266
<i>Citrus x aurantiifolia</i>	215	<i>Luma chequen</i>	266
<i>Cladium mariscus</i>	247	<i>Luzula pilosa</i>	277
<i>Comarum palustre</i>	264	<i>Luzula sylvatica</i>	278
<i>Conium maculatum</i>	69, 70-72	<i>Lysimachia</i> sp.....	244
<i>Convolvulus arvensis</i>	98, 272	<i>Lysimachia vulgaris</i>	244, 245 (photo), 246-248, 248 (photo)
<i>Convolvulus arvensis</i> as 'Field Bindweed'.....	99	<i>Malus domestica</i>	264
<i>Cornus mas</i>	256, 266	<i>Malus</i> sp.....	76, 264, 269, 271, 280
<i>Cornus sanguinea</i>	99, 256	<i>Malus sylvestris</i>	264, 269
<i>Cornus</i> sp.....	256	<i>Myosotis alpestris</i>	9
<i>Corylus</i> sp.....	221, 269, 270	<i>Nuphar lutea</i>	89
<i>Cotoneaster</i> sp.....	76	<i>Olea europaea</i>	221

<i>Origanum vulgare</i>	285
<i>Paliurus spina-christi</i>	129
<i>Parietaria judaica</i>	274
<i>Persicaria amphibia</i>	117-119, 120 (photo), 121, 127, 274
<i>Phillyrea angustifolia</i>	199, 200, 210, 251
<i>Phillyrea latifolia</i>	199, 200, 210, 250, 250 (photo)
<i>Phillyrea</i> sp.	199, 200, 201 (photo), 202 (photo), 251
<i>Phragmites australis</i>	118, 119, 246, 247
<i>Picea abies</i>	67, 77
<i>Pinus</i> sp.	77
<i>Plantago lanceolata</i>	94
<i>Plantago media</i>	94, 96
<i>Plantago</i> sp.	94
<i>Platanus</i> sp.	132, 269, 288
<i>Polystichum setiferum</i>	279
<i>Populus alba</i>	75, 271
<i>Populus nigra</i>	75, 253
<i>Populus tremula</i>	32, 264
<i>Populus x canadensis</i>	75, 256, 264, 270
<i>Potamogeton lucens</i>	89
<i>Potamogeton perfoliatus</i>	89
<i>Potamogeton pusillus</i>	89
<i>Prunus</i> sp.	221, 264, 269
<i>Prunus spinosa</i>	32, 76, 263, 264, 269, 272, 282
<i>Prunus spinosa</i> as 'Blackthorn'	33
<i>Pteridium aquilinum</i>	249, 249 (photo), 250, 251
<i>Pulmonaria longifolia</i>	9
<i>Pyracantha</i> sp.	132
<i>Pyrus communis</i>	264
<i>Quercus ilex</i>	256
<i>Quercus robur</i>	290
<i>Quercus</i> sp.	195, 256, 264, 266, 268, 269, 277
<i>Rhamnus cathartica</i>	263
<i>Rosa canina</i>	256
<i>Rosa spinosissima</i>	256
<i>Rubus caesius</i>	98
<i>Rubus fruticosus</i>	264
<i>Rudbeckia laciniata</i>	190
<i>Rumex</i> sp.	263
<i>Salix fragilis</i>	270
<i>Salix repens</i>	270
<i>Salix</i> sp.	256, 269, 270
<i>Salix viminalis</i>	270
<i>Sambucus nigra</i>	218
<i>Scabiosa columbaria</i>	113, 114
<i>Schoenoplectus lacustris</i>	89
<i>Securigera varia</i>	188
<i>Sesleria caerulea</i>	101, 102, 104-107, 109, 111
<i>Silene dioica</i>	34, 37
<i>Solanum crispum</i>	254
<i>Solanum dulcamara</i>	254
<i>Solanum laciniatum</i>	253, 254, 254 (photo), 255, 255 (photo)
<i>Solanum lycopersicum</i>	255
<i>Solanum tuberosum</i>	255
<i>Sorbus</i> sp.	76
<i>Stellaria holostea</i>	277
<i>Succisa pratensis</i>	113, 114
<i>Symphoricarpos</i> sp.	270
<i>Symphytum officinale</i>	9
<i>Symphytum</i> sp.	9
<i>Syringa vulgaris</i>	221
<i>Thyselium palustre</i>	69, 70-72
<i>Tilia</i> sp.	263, 278
<i>Tilia x europaea</i>	268
<i>Typha</i> sp.	273
<i>Ulex europaeus</i>	49, 50 (photo), 52-54, 56-58, 270, 288
<i>Ulex galii</i>	49, 52, 270
<i>Ulex</i> sp.	49, 270
<i>Ulmus glabra</i>	26, 270
<i>Ulmus procera</i>	268
<i>Ulmus</i> sp.	24, 26, 268, 270, 276
<i>Vaccinium myrtillus</i>	19, 79
<i>Vaccinium vitis-idaea</i>	282
<i>Veronica persica</i>	96
<i>Veronica</i> sp.	94
<i>Viburnum tinus</i>	270
<i>Vicia sepium</i>	270
<i>Viscum album</i>	39, 39 (photo), 40 (photo)

